



# ChangeMan<sup>®</sup>ZMF

ERO Messages

© Copyright 2001 - 2018 Micro Focus or one of its affiliates.

This document, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. Except as permitted by such license, no part of this publication may be reproduced, photocopied, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Serena. Any reproduction of such software product user documentation, regardless of whether the documentation is reproduced in whole or in part, must be accompanied by this copyright statement in its entirety, without modification.

The only warranties for products and services of Micro Focus and its affiliates and licensors ("Micro Focus") are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.

Contains Confidential Information. Except as specifically indicated otherwise, a valid license is required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

Third party programs included with the ChangeMan ZMF product are subject to a restricted use license and can only be used in conjunction with ChangeMan ZMF.

Product version: 8.2

Publication date: September 2018

# Table of Contents

---

<b>Welcome to ChangeMan ZMF ERO</b> . . . . .	<b>5</b>
Guide to ChangeMan ZMF Documentation . . . . .	5
ChangeMan ZMF Documentation Suite . . . . .	5
Using the Manuals . . . . .	7
<i>Chapter 1</i> <b>ChangeMan ZMF ERO Messages</b> . . . . .	<b>9</b>
Message Format . . . . .	10
Message Descriptions . . . . .	10
Release Management General Messages . . . . .	10
Release Management Administration Messages . . . . .	11
Release Management Audit Messages . . . . .	13
Release Management Block Messages . . . . .	16
Release Management Backout Messages . . . . .	17
Release Management Checkin Messages . . . . .	17
Release Management Generate Messages . . . . .	23
Release Management Install Messages . . . . .	23
Release Management Retrieve Messages . . . . .	23
Release Management Unblock Messages . . . . .	24
Release Management Housekeeping Messages . . . . .	24
Release Management Library Type Messages . . . . .	24
Release Management Approval Messages . . . . .	25
Release Management Checkout Messages . . . . .	28
Release Management Area Messages . . . . .	29
Release Packages Messages . . . . .	31
Release Management General Services Messages . . . . .	32
Release Management Query Messages . . . . .	33
Release Area Promotion Messages . . . . .	33
<b>Index</b> . . . . .	<b>37</b>



# Welcome to ChangeMan ZMF ERO

---

The purpose of this manual is to describe system messages and codes produced by ChangeMan<sup>®</sup> ZMF Enterprise Release Option (ERO).

Audience and scope This document is intended for ChangeMan ZMF ERO users, administrators, and the technical staff who install and support ChangeMan ZMF ERO software.

Change bars in the left margin (like that shown at left) identify substantive changes to this publication in ChangeMan ZMF ERO release 8.1.

## Guide to ChangeMan ZMF Documentation

The following sections provide basic information about ChangeMan ZMF documentation.

### ChangeMan ZMF Documentation Suite

The ChangeMan ZMF documentation set includes the following manuals in PDF format.

Manual	Description
<i>Administrator's Guide</i>	Describes ChangeMan ZMF features and functions with instructions for choosing options and configuring global and application administration parameters.
<i>ChangeMan ZMF ERO Quick Reference</i>	Provides a summary of the commands you use to perform the major functions in the ChangeMan ZMF package life cycle.
<i>Customization Guide</i>	Provides information about ChangeMan ZMF skeletons, exits, and utility programs that will help you to customize the base product to fit your needs.
<i>Db2 Option Getting Started Guide</i>	Describes how to install and use the Db2 Option of ChangeMan ZMF to manage changes to Db2 components.
<i>ERO Concepts</i>	Discusses the concepts of the ERO Option of ChangeMan ZMF for managing releases containing change packages.
<i>ERO Getting Started Guide</i>	Explains how to install and use the ERO Option of ChangeMan ZMF to manage releases containing change packages.
<i>ERO Messages</i>	Describes system messages and codes produced by ChangeMan ZMF ERO.
<i>ERO XML Services User's Guide</i>	Documents ERO functions and services available for general customer use. These services are also known as the green services and provide primarily search and query functions.

<b>Manual</b>	<b>Description</b>
<i>High-Level Language Functional Exits Getting Started Guide</i>	Provides instructions for implementing and using High-Level Language (Cobol, PL/1, and REXX) exits, driven consistently by all clients to enforce local business rules in ZMF functions.
<i>IMS Option Getting Started Guide</i>	Provides instructions for implementing and using the IMS Option of ChangeMan ZMF to manage changes to IMS components.
<i>INFO Option Getting Started Guide</i>	Describes two methods by which ChangeMan ZMF can communicate with other applications: <ul style="list-style-type: none"> <li>■ Through a VSAM interface file.</li> <li>■ Through the Tivoli Information Management for z/OS product from IBM.</li> </ul>
<i>Installation Guide</i>	Provides step-by-step instructions for initial installation of ChangeMan ZMF. Assumes that no prior version is installed or that the installation will overlay the existing version.
<i>Java / zFS Getting Started Guide</i>	Provides information about using ZMF to manage application components stored in UNIX System Services (USS) file systems, especially Java application components.
<i>Load Balancing Option Getting Started Guide</i>	Explains how to install and use the Load Balancing Option of ChangeMan ZMF to connect to a ZMF instance from another CPU or MVS image.
<i>M+R Getting Started Guide</i>	Explains how to install and use the Merge and Reconcile (M+R) Option of ChangeMan ZMF to consolidate multiple versions of source code and other text components.
<i>M+R Quick Reference</i>	Provides a summary of M+R Option commands in a handy pamphlet format.
<i>Messages</i>	Explains messages issued by ChangeMan ZMF, SERNET, and System Software Manager (SSM) used for the Staging Versions feature of ZMF.
<i>Migration Guide</i>	Gives guidance for upgrading ChangeMan ZMF
<i>OFM Getting Started Guide</i>	Explains how to install and use the Online Forms Manager (OFM) option of ChangeMan ZMF.
<i>SER10TY User's Guide</i>	Gives instructions for applying licenses to enable ChangeMan ZMF and its selectable options.
<i>User's Guide</i>	Describes how to use ChangeMan ZMF features and functions to manage changes to application components.
<i>XML Services User's Guide</i>	Documents the most commonly used features of the XML Services application programming interface to ChangeMan ZMF.
<i>ZMF Web Services User's Guide</i>	Documents the Web Services application programming interface to ChangeMan ZMF.

## Using the Manuals

The ChangeMan ZMF ERO manuals use the Adobe Portable Document Format (PDF). To view PDF files, use Adobe® Reader®, which is freely available from [www.adobe.com](http://www.adobe.com).



### TIP

Be sure to download the *full version* of Reader. The more basic version does not include the search feature.

This section highlights some of the main Reader features. For more detailed information, see the Adobe Reader online help system.

The PDF manuals include the following features:

- **Bookmarks.** All of the manuals contain predefined bookmarks that make it easy for you to quickly jump to a specific topic. By default, the bookmarks appear to the left of each online manual.
- **Links.** Cross-reference links within an manual enable you to jump to other sections within the manual and to other manuals with a single mouse click. These links appear in blue.
- **Printing.** While viewing a manual, you can print the current page, a range of pages, or the entire manual.
- **Advanced search.** Starting with version 6, Adobe Reader includes an advanced search feature that enables you to search across multiple PDF files in a specified directory. (This is in addition to using any search index created by Adobe Catalog—see step 3 below.)

### To search within multiple PDF documents at once, perform the following steps (requires Adobe Reader version 6 or higher):

- 1 In Adobe Reader, select Edit | Search (or press CTRL+F).
- 2 In the text box, enter the word or phrase for which you want to search.
- 3 Select the **All PDF Documents in** option, and browse to select the folder in which you want to search.
- 4 Optionally, select one or more of the additional search options, such as **Whole words only** and **Case-Sensitive**.
- 5 Click the **Search** button.



### NOTE

Optionally, you can click the **Use Advanced Search Options** link near the lower right corner of the application window to enable additional, more powerful search options. (If this link says **Use Basic Search Options** instead, the advanced options are already enabled.) For details, see Adobe Reader's online help.



# Chapter 1

---

## ChangeMan ZMF ERO Messages

This chapter describes ISPF messages issued by the ERO option of Serena ChangeMan ZMF.

If you are reading this book from hardcopy, use the Index to locate a message number. If you are viewing this book as a PDF file, use the Find function in your viewer to locate a message.

<a href="#">Message Format</a>	10
<a href="#">Message Descriptions</a>	10

---

# Message Format

Each ISPF message can have two forms: a short message and a long message explanation.

The short message automatically displays in the upper right corner of the panel, overlaying any panel text in that area. See [1] in the sample panel below. The long message, which is more descriptive, displays when you press the PF1 HELP key after the short message displays. See [2] in the third line of the sample panel below.

```
CMRpanel ----- title of panel ----- short [1] message
COMMAND ==>
CMRnnnnx - [2]..long message
panel text
```

The first three characters identify the application CMR, which stands for ChangeMan ZMF ERO. The next four digits *nnnn* refer to the message number. Use the message number to find an explanation for the message in this manual, or to request support from Serena Customer Support.

The last character, *x*, refers to the type of message:

- A refers to error messages that require Action.
- I refers to Informational messages that acknowledge the completion of a task.

## Message Descriptions

The message descriptions list both the short and the long versions of the message, separated by the OR character, "|", for example,

**Process Error | Release {*release*} - backout is already in progress.**

The position of a variable value such as the release number are indicated by variable names enclosed in braces and italicized, for example, {*release*}.

### Release Management General Messages

CMR0001I	Invalid Status   Invalid Release status { <i>release</i> } must be in { <i>status</i> } status.
CMR0002I	Release Undefined   Package { <i>package</i> } not defined to a Release or Area.
CMR0003A	Invalid Status   Invalid Release status { <i>status</i> } - must be in APR, REJ, DIS or BAK status.
CMR0004I	No Prior Release   No Prior Releases found for release { <i>release</i> } Application { <i>application</i> }.

---

CMR0005I	No Releases Found   No Other Releases found for Application <i>{application}</i> .
CMR0006A	Release Already Defined   Release <i>{release}</i> has already been defined.
CMR0007A	Global Parm's Updated   Release Global Parameters have been successfully updated.
CMR0008A	Option not Available   Release Management is not licensed, contact administrator.
CMR0009A	Invalid Status   Invalid Release status <i>{status}</i> - must be in BAS or INS status.
CMR0010A	Process Error   Release <i>{release}</i> - install is already in progress.
CMR0011A	Process Error   Release <i>{release}</i> - backout is already in progress.
CMR0012I	Invalid Name   Invalid Release name specified, must begin with an alpha (A-Z).
CMR0013I	Release Already Defined   Release <i>{release}</i> has already been defined copy not allowed.
CMR0014I	Not a Prior Release   Release <i>{release}</i> has an install date greater than <i>{date}</i> .

## Release Management Administration Messages

CMR0500A	Undefined Release   Release <i>{release}</i> is undefined - contact Release Admin.
CMR0501A	Undefined Application   Undefined application <i>{application}</i> - contact local ADMIN.
CMR0502A	Application Locked   Application <i>{application}</i> globally locked for update.
CMR0503A	Undefined Prior Release   Undefined Prior Release <i>{release}</i> - contact Release ADMIN.
CMR0504A	Invalid Install Date   Release Install Date must be current or future.
CMR0505A	Invalid Install Date   Release Install to Date must be greater than from Date.
CMR0506A	Invalid Install Time   Release Install to Time must be greater than from Time.
CMR0507A	Invalid Install Time   Release Install Time must be 000000 to 235959 in hhmmss.
CMR0510A	Authorization Failed   You must have Global, Local, or RlseMgr authority to enter Admin.

CMR0511A	Authorization Failed   You must have Global or Release Manager Authority.
CMR0512A	Authorization Failed   You must have Global or Release Manager Authority.
CMR0513A	Authorization Failed   You must have Global Admin Authority to define the global HLQ.
CMR0515A	Authorization Failed   Your TS0ID is not authorized to create the approval entity.
CMR0516A	Invalid Entity Name   Approval entity name is not defined in the security system.
CMR0517A	Invalid Area Rule   Area Rule, { <i>arearule</i> } can not be less than Release Rule { <i>releaserule</i> }.
CMR0518I	Applications Found   Release { <i>release</i> } still has applications attached.
CMR0519A	No Prior Release   There are no Prior Releases found for Release { <i>Release</i> }.
CMR0520A	No Applications   There are no Applications attached to Release { <i>release</i> }.
CMR0521A	Release Created   Release { <i>release</i> } has been successfully created.
CMR0522A	Release Updated   Release { <i>release</i> } has been successfully updated.
CMR0523A	Release Deleted   Release { <i>release</i> } has been successfully deleted.
CMR0524A	Release Undeleted   Release { <i>release</i> } has been successfully undeleted.
CMR0525A	Release Updated   Prior Release { <i>priorrelease</i> } has been successfully updated for Release { <i>updatedrelease</i> }.
CMR0526A	Prior Release Deleted   Prior Release { <i>priorrelease</i> } has been successfully deleted for Release { <i>release</i> }.
CMR0527A	Application Joined   Application { <i>application</i> } has been successfully joined release.
CMR0528A	Application Updated   Application { <i>application</i> } has been successfully updated.
CMR0529A	Application Deleted   Application { <i>application</i> } has been successfully deleted.
CMR0530A	Libraries Deleted   Release { <i>release</i> } Area libraries successfully deleted.
CMR0531I	Invalid Name   Invalid Area name specified, must begin with an alpha (A-Z).
CMR0532A	Undefined Approver   Invalid Area name specified, must begin with an alpha (A-Z).

---

CMR0533A	Invalid Approver   Global Approver { <i>approver</i> } is not a release install Approver.
CMR0534A	Invalid Approver   Global Approver { <i>approver</i> } is not an area type approver.
CMR0535A	Invalid Approver   Global Approver { <i>approver</i> } is an associated approver.
CMR0536A	Invalid Approver   Global Approver { <i>approver</i> } is not an associated approver.
CMR0537A	Undefined Remote Site   Undefined Remote Site { <i>site</i> } - contact global ADMIN.
CMR0538A	Invalid Release Rule   Release Rule, { <i>releaserule</i> } can not be less than Global Rule { <i>globalrule</i> }.
CMR0539A	Invalid Install Time   Release Install to Time must be 1 min. more then from Time.
CMR0540A	Scheduler Not Allowed   Release Scheduler { <i>scheduler</i> } does not allow { <i>??????</i> } -contact Release ADMIN.
CMR0541A	Invalid Application   Application { <i>invalidapp</i> } cannot have application { <i>relatedapp</i> } as a related application.
CMR0542A	Invalid Input   Release and base ZMF applications are mutually exclusive.

## Release Management Audit Messages

CMR1000I	Invalid Audit Level   Audit level { <i>level</i> } invalid - should be 0 to 5.
CMR1001I	Audit Failure   Area { <i>area</i> } failed the audit with a return code of { <i>code</i> }.
CMR1002I	Audit Failure   Package { <i>package</i> } failed the audit with a return code of { <i>code</i> }.
CMR1003I	Audit Failure   Area must be audited when audit rule is greater than 0.
CMR1004A	Audit Failure   If using autoresolve area must first pass TestArea function. <b>Explanation:</b> This is a SYSPRINT message from release audit program CMNRA000, which executes a test area when audit is submitted with the auto resolve option. The test area ensures that area components match the package libraries where they originated so that there is no possibility that auto resolve will overlay package components that have been changed or create orphans where package components have been deleted. This message indicates that the test area failed and that audit with auto resolve is halted with RC=12. <b>Solution:</b> Resolve the issues detected by test area, and then resubmit release audit with auto resolve.

- CMR1005I** (No short message) | Autoresolve requested.  
**Explanation:** This is a SYSPRINT message from the release audit program CMNRA000 to indicate that release audit was submitted with the auto resolve option.  
**Solution:** None.
- CMR1006I** (No short message) | Audited area has passed TestArea function, autoresolve will proceed.  
**Explanation:** This is a SYSPRINT message from the release audit program CMNRA000, which executes a test area when release audit is submitted with the auto resolve option. The test area ensures that area components match the package libraries where they originated so that there is no possibility that auto resolve will overlay package components that have been changed or create orphans where package components have been deleted. This message indicates that test area was passed and that audit with auto resolve will continue.  
**Solution:** None.
- CMR1007I** (No short message) | Ignore Higher Areas has been requested.  
**Explanation:** This is a SYSPRINT message from the release audit program CMNRA000 to indicate that release audit has been requested with the ignore higher areas (IHA) option.  
**Solution:** None.
- CMR1008I** (No short message) | Conditional processing of higher areas has been requested, checking for start areas.  
**Explanation:** This is a SYSPRINT message from the release audit program CMNRA000 to indicate that audit was requested with the conditional processing of the ignore higher areas (IHA) option.  
**Solution:** None.
- CMR1009I** (No short message) | One start area found, ignoring higher areas for this audit.  
**Explanation:** This is a SYSPRINT message from release audit program CMNRA000 to indicate that, while checking areas for conditional IHA processing, audit found only a single start area in the release. Audit will proceed to ignore higher areas for this execution.  
**Solution:** None.
- CMR1010I** (No short message) | Multiple start areas found, higher areas will not be ignored.  
**Explanation:** This is a SYSPRINT message from the release audit program CMNRA000 to indicate, while checking areas for conditional IHA processing, audit found multiple start areas in the release. Audit will not ignore higher areas for this execution.  
**Solution:** None.
- CMR1011I** (No short message) | IHA=YES processing in effect, area audit rc will not be updated.  
**Explanation:** This is a SYSPRINT message from the release audit program CMNRA000 to indicate that audit is executing with IHA=YES processing in effect, so the area audit rc will not be updated.  
**Solution:** None.

CMR1012I	<p>(No short message)   Area integrity check is underway.</p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that an area integrity check has been requested (INT=YES) before normal audit processing begins. This check is currently taking place.</p> <p><b>Solution:</b> None.</p>
CMR1013A	<p>(No short message)   Area failed integrity check, details follow.</p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that the requested area integrity check has failed. Details to follow.</p> <p><b>Solution:</b> Investigate the details that follow, similar to this example: Member missing STEV/CPY: COPY01 Member missing STEV/LOD: PGM1 Member missing STEV/LST: PGM1 Member missing STEV/SUB: SUB1 Member missing STEV/LOD: RENAME01.</p>
CMR1014I	<p>(No short message)   Audited area has passed the integrity check.</p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that the requested area integrity check has passed.</p> <p><b>Solution:</b> None.</p>
CMR1066I	Undefined Security Entity   Security entity { <i>entity</i> } undefined; contact security ADMIN.
CMR1090A	Authorization Failed   Application access denied - contact local ADMIN.
CMR1094A	Unauthorized Access   { <i>entity</i> } entity authorization required.
CMR1120A	<p>(No short message)   CIM Record not found for: <i>nnnnnn</i></p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that audit has been unable to find a CIM record for <i>nnnnnn</i>.</p> <p><b>Solution:</b> This may be the result of an incomplete action (such as an interrupted checkin). Try re-establishing the affected component in the release. If the problem persists contact Micro Focus customer support</p>
CMR1121A	<p>(No short message)   HST Record not found for: <i>nnnnnn</i></p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that audit has been unable to find a HST record for <i>nnnnnn</i>.</p> <p><b>Solution:</b> This may be the result of an incomplete action (such as an interrupted checkin). Try re-establishing the affected component in the release. If the problem persists contact Micro Focus customer support.</p>
CMR1122A	<p>(No short message)   Consolidated baseline build - Open failed for: <i>nnnnnn</i></p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that audit has been unable to open library <i>nnnnnn</i> during consolidated baseline build.</p> <p><b>Solution:</b> This message should be accompanied by system generated error messages from the attempt to open the library. There is either something wrong with the library itself or ZMF administration is incorrect (e.g. pointing to a non-existent library).</p>

CMR1123I	<p>(No short message)   Audit return code update failed for the following reason: <i>reason</i></p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that the area audit return code update has failed for the reason <i>reason</i> .</p> <p><b>Solution:</b> Examine and rectify the <i>reason</i>.</p>
CMR1124I	<p>(No short message)   The CMNERRORTYPES DB2 table is empty, processing continues with the default error return codes</p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that the CMNERRORTYPES Db2 table is empty so processing continues with default (hard coded) error codes.</p> <p><b>Solution:</b> Populate the CMNERRORTYPES table as shown in the CMNLDERT sample JCL member.</p>
CMR1125I	<p>(No short message)   Analysis complete, release audit return code is: <i>rc</i>.</p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that audit analysis has completed and has a return code of <i>rc</i> .</p> <p><b>Solution:</b> None.</p>
CMR1126I	<p>(No short message)   Error code ????? has been marked as ineligible for autoresolve.</p> <p><b>Explanation:</b> This is a SYSPRINT message from the release audit program CMNRA000 to indicate that this particular error code will not result in an autoresolve job being submitted.</p> <p><b>Solution:</b> This is informational only, these error codes cannot be addressed by autoresolve.</p>

## Release Management Block Messages

CMR1500A	Invalid Blocking Rule   Blocking rule { <i>rule</i> } invalid - should be 0 - 3.
CMR1501I	Release Blocked   Release { <i>release</i> } has been successfully blocked.
CMR1502I	Area Blocked   Release { <i>release</i> } Area { <i>area</i> } has been successfully blocked.
CMR1503I	Audit Failure   Area must be audited when blocking rule is greater than 0.
CMR1504A	Authorization Failed   Release Manager Authority required to Block or Unblock.
CMR1505A	Authorization Failed   Release Manager Authority required to Revert.
CMR1506I	<p>Components Failed   Release {<i>release/area</i>} and package components do not match.</p> <p><b>Explanation:</b> Test area failed, detecting differences between components in the indicated release area and the package libraries where the components originated.</p>

**Solution:** Resolve the issues detected by test area. Resubmit test area or the function that you executed that initiated a test area, such as release audit with the auto resolve option.

- CMR1507I      Components Passed | Release *{release}* and package components match.
- CMR1527I      Node Outstanding | Package *{package}* installation JCL build outstanding.

## Release Management Backout Messages

- CMR2000I      Release Reverted | Release *{release}* has been successfully reverted.
- CMR2001I      Backouts Submitted | Release *{release}* package backouts have been submitted.
- CMR2002I      Backout Not Allowed | Package *{package}* is attached to release *{release}*, backout release.

## Release Management Checkin Messages

- CMR2500A      Invalid Option | Release package is in *{status}* status - must be DEV, FRZ, or APR.
- CMR2501A      Package Not Found | Release package *{package}* does not exist in the package master.
- CMR2502A      Package Memo Deleted | Release package *{package}* is in memo deleted status.
- CMR2503A      Install Date Error | Package install date must be current or future for checkin.
- CMR2504A      Authorization Failed | Release application access denied - contact Release Admin.
- CMR2505A      Invalid Package Level | Release package level must be simple.
- CMR2506A      Invalid Package Id | Release package ID must be a planned permanent package.
- CMR2507A      Undefined Application | Undefined release application *{application}* - contact Release Admin.
- CMR2508A      No Components Found | No release package components found in the package master.
- CMR2509A      Storage Error | Memory unavailable for build of dynamic panel. Getmain RC = *{returncode}*.
- CMR2510A      Storage Error | Memory unavailable for build of component list. Getmain RC = *{returncode}*.
- CMR2511A      Invalid Date | *{date}* is an invalid Gregorian date for checkin function.

CMR2512A	Invalid Date Range   FROM date <i>{date}</i> is more current than the TO date for checkin.
CMR2513I	Select Error   Component override not allowed on a locked component.
CMR2514A	Release Undefined   Package <i>{package}</i> not defined to a Release - contact Release Admin
CMR2515A	Release Invalid   <i>{??????}</i> not defined to Release <i>{release}</i> - contact Release Admin.
CMR2516A	Area Invalid   <i>{??????}</i> not defined to Area <i>{area}</i> - contact Release Admin.
CMR2517A	Area Undefined   Package <i>{package}</i> not defined to an Area - contact Release Admin.
CMR2518A	Invalid Check-in Rule   Check-in Rule <i>{rule}</i> invalid - should be 0 - 7.
CMR2519A	Run Table Error   No entries found on select request to Baseline Unique Table.
CMR2520A	Storage Error   Memory unavailable for build of Selection Idx. Getmain RC = <i>{returncode}</i> .
CMR2521A	DB2 Open Error   Error attempting open of DB2 Call Attach Facility.
CMR2522A	DB2 Close Error   Error attempting close of the DB2 Call Attach Facility.
CMR2523A	Storage Error   Memory unavailable for build of Duplicate list. Getmain RC = <i>{returncode}</i> .
CMR2524A	Storage Error   Memory unavailable for build of Duplicate Indx. Getmain RC = <i>{returncode}</i> .
CMR2525A	Storage Error   Memory unavailable for build of Duplic panel. Getmain RC = <i>{returncode}</i> .
CMR2526I	Select Error   Component override not allowed on a different release package
CMR2527I	Select Error   Not all components displayed can be selected for override.
CMR2528I	Select Error   Component override not allowed on lib type without a valid Bun.
CMR2529I	No Selections   No components selected for Checkin into target area <i>{area}</i> .
CMR2530I	Not Qualified   No components selected for Checkin qualify for area <i>{area}</i> .
CMR2531A	Rlse not Found   Release Name Id <i>{id}</i> does not exist in the package master.

---

CMR2532A	Area not Found   Release Area Id { <i>id</i> } does not exist in the package master.
CMR2533I	Action in Progress   Checkin bypassed due to {??????} in progress for area { <i>area</i> }.
CMR2534I	Area Blocked   Checkin bypassed for {??????} due to area { <i>area</i> } is blocked.
CMR2535A	Invalid Rule   Invalid or conflicting checkin rules detected for area { <i>area</i> }.
CMR2536A	Rule Violation   Checkin rule for area { <i>area</i> } requires {??????} to be frozen
CMR2537A	Storage Error   Memory unavailable for build of Lib Type Table. Getmain RC = { <i>returncode</i> }.
CMR2538A	Storage Error   Memory unavailable for build of Approval List. Getmain RC = { <i>returncode</i> }.
CMR2539A	No Approver Record   Release Id { <i>id</i> } approver record not found in package master.
CMR2540A	No Approver Record   Release Area { <i>area</i> } approver record not found in package master.
CMR2541A	Storage Error   Memory unavailable for build of User List. Getmain RC = { <i>returncode</i> }.
CMR2542A	Storage Error   Memory unavailable for build of Bun Table Area. Getmain RC = { <i>returncode</i> }.
CMR2543A	Storage Error   Memory unavailable for build of Src-Lod List. Getmain RC = { <i>returncode</i> }.
CMR2544A	Storage Error   Memory unavailable for build of Src-Lod panel. Getmain RC = { <i>returncode</i> }.
CMR2545I	Select Error   Component override not allowed on a different user id.
CMR2546A	Storage Error   Memory unavailable for build of UCA Work Area. Getmain RC = { <i>returncode</i> }.
CMR2547A	Package Master Error   Global Record 0 not found during build of Release Area data sets.
CMR2548A	HLQ Not Found   Release high level qualifier name not found in Global Record 0.
CMR2549A	Storage Error   Memory unavailable for the area names table. Getmain RC = { <i>returncode</i> }.
CMR2550A	Library Error   Release Id { <i>id</i> } lib type record not found in package master.
CMR2551A	Storage Error   Memory unavailable for area dataset table. Getmain RC = { <i>returncode</i> }.

CMR2552A	No Area Libraries   No release area library types defined in the package master.
CMR2553A	Storage Error   Memory unavailable for area data set panel. Getmain RC = { <i>returncode</i> }.
CMR2554A	No Release Areas   No release area names defined for Release Id {id}.
CMR2555A	Storage Error   Memory unavailable for allocation progress. Getmain RC = { <i>returncode</i> }.
CMR2556A	I/O Error   In progress indicator not set to ON due to Pmast I/O error.
CMR2557A	I/O Error   In progress indicator not set to OFF due to Pmast I/O error.
CMR2558A	Storage Error   Memory unavailable for checkin result list. Getmain RC = { <i>returncode</i> }.
CMR2559A	Copy Error   Error on Copy to Target Area { <i>area</i> }.
CMR2560A	Storage Error   Memory unavailable for summary panel area. Getmain RC = { <i>returncode</i> }.
CMR2561A	DB2 Error   DB2 error attempting commit for delete of rows in CIM Table.
CMR2562A	DB2 Error   DB2 error attempting commit for insert of rows in CIM Table.
CMR2563A	Storage Error   Memory unavailable for member list lib Area. Getmain RC = { <i>returncode</i> }.
CMR2564A	List Error   Error on member list for {??????}.
CMR2565A	Storage Error   Memory unavailable for member list area. Getmain RC = { <i>returncode</i> }.
CMR2566I	Select Error   Component override not allowed-member not found in data set.
CMR2567I	Select Error   Component override not allowed-component authorization required.
CMR2568A	Storage Error   Memory unavailable for component load area. Getmain RC = { <i>returncode</i> }.
CMR2569A	DB2 Error   DB2 error attempting insert of history records in HST Table.
CMR2570A	DB2 Error   DB2 error attempting commit for insert of rows in HST Table.
CMR2571A	I/O Error   I/O error on log file attempting update for Checkin activity.

---

CMR2572A	Invalid Rule   Invalid or conflicting Audit rules detected for area {area}.
CMR2573A	Invalid Job Card   Change Man Exit 8 indicates invalid job card information.
CMR2574A	Ispfile Not Found   {??????} ISPF FILE data set was not found.
CMR2575A	Ftopen Error   Error on file tailoring open for skel {??????}. RC = {returncode}.
CMR2576A	Ftincl Error   Error on file tailoring include for skel {??????}. RC = {returncode}.
CMR2577A	Ftclose Error   Error on file tailoring close for skel {??????}. RC = {returncode}.
CMR2578A	Audit Submit Error   Error on submit of audit job for target area {area}.
CMR2579I	Audit Job Submitted   Job submitted to audit area {area} of release {release}.
CMR2580A	I/O Error   I/O error on log file attempting update for Audit activity.
CMR2581A	Authorization Failed   Release checkin entity access denied - contact Release Admin.
CMR2582A	Authorization Failed   Release Id access denied - contact Release Administrator.
CMR2583A	Authorization Failed   Release checkin entity not defined - contact Release Admin.
CMR2584A	Notification Error   Release area {area} notification error for checkin approvers.
CMR2585I	Notify Action   Area {area} of release {release} waiting for checkin approval request by user {userid}.
CMR2586A	Authorization Failed   Release Id entity {??????} not defined - contact Rlse Admin.
CMR2587A	I/O Error   Notify indicator not set for {??????} due to Pmast I/O error.
CMR2588A	Storage Error   Memory unavailable for approver work area. Getmain RC = {returncode}.
CMR2589A	Notify Failed   Checkin approval required, no approvers defined. Contact Rlse Admin.
CMR2590A	Notify Failed   Checkin approval required, no users defined. Contact Rlse Admin.
CMR2591A	CAF Error   DB2 CAF error processing {??????} request

CMR2592A	No Components Found   No release components were found for area { <i>area</i> }.
CMR2592A	Checkin Not Approved   Checkin approval required for area { <i>area</i> }. Contact Release Admin.
CMR2593A	Checkin Not Approved   Checkin approval required for area { <i>area</i> }. Contact Release Admin.
CMR2594A	Rule Violation   Checkin rule for area { <i>area</i> } requires {??????} to be blocked.
CMR2595A	Checkoff Not Approved   Checkoff approval required for area { <i>area</i> }. Contact Release Admin.
CMR2595A	Checkin Not Allowed   Checkin of final release area { <i>area</i> } not allowed.
CMR2596I	Checkin Not Allowed   Checkin of final release area { <i>area</i> } not allowed.
CMR2597I	Audit Failure   Area must be audited when check-in rule is 1, 4, 5 or 7.
CMR2598A	Rule Violation   Checkin rule for area { <i>area</i> } requires {??????} to be frozen.
CMR2599I	Audit Failure   Package must be audited when check-in rule is 1, 4, 5 or 7.
CMR2600I	Job Submitted   Job to batch check-in has been submitted.
CMR2601A	DB2 Error   Insert of i/a table records failed, see server SERPRINT for details.
CMR2602A	DB2 Error   Delete of i/a table records failed, see server SERPRINT for details.
CMR2610I	Checkin Complete   Checkin completed {??????} of {??????} components for area { <i>area</i> }.
CMR2700I	Select Error   Component override not allowed, override not specified.
CMR2701I	Select Error   Library Type BUN (Baseline Unique Number) for {??????} not found.
CMR2702I	Select Error   Component {??????} is locked by {??????}.
CMR2730I	Checkin Exit Error   Checkin halted by system exit, please contact administrator.
CMR2731I	No Component Found   System exit removed all selected components, contact administrator.
CMR2800I	Select Error   Source {??????} has related components checked in.

## Release Management Generate Messages

CMR3000A	Invalid Generate Rule   Generate Rule <i>{rule}</i> invalid - should be 0 - 6.
CMR3050I	Invalid Option   No Area libraries to process.
CMR3292I	Promotion Error   <i>{??????}</i> is currently promoted to this level <i>{??????}</i> .

## Release Management Install Messages

CMR3500I	Undefined Install Site   Release Application <i>{application}</i> Install Site <i>{site}</i> not found.
CMR3501A	Invalid Option   Release Application <i>{application}</i> Install Site <i>{site}</i> not found.

## Release Management Retrieve Messages

CMR4000A	Invalid Retrieve Rule   Retrieve Rule <i>{rule}</i> invalid - should be 0 - 3.
CMR4001I	Area Blocked   Retrieve bypassed for <i>{??????}</i> due to area <i>{area}</i> is blocked
CMR4002A	Invalid Rule   Invalid or conflicting retrieve rules detected for area <i>{area}</i> .
CMR4003I	Action in Progress   Retrieve bypassed due to <i>{??????}</i> in progress for area <i>{area}</i>
CMR4004A	Authorization Failed   Release retrieve entity access denied - contact Release Admin.
CMR4005A	Authorization Failed   Release retrieve entity not defined - contact Release Admin.
CMR4006A	Install Date Error   Package install date must be current or future date for retrieve.
CMR4007A	Invalid Date   <i>{date}</i> is an invalid Gregorian date for retrieve function.
CMR4008A	Invalid Date Range   FROM date <i>{date}</i> is more current than the TO date for retrieve.
CMR4009I	No Selections   No components selected for Retrieve from target area <i>{area}</i> .
CMR4010A	I/O Error   I/O error on log file attempting update for Retrieve activity.
CMR4011A	Storage Error   Memory unavailable for retrieve result list. Getmain RC = <i>{returncode}</i> .

CMR4012A	Delete Error   Error on Delete from Target Area <i>{area}</i> .
CMR4013I	Not Qualified   No components selected for Retrieve qualify for area <i>{area}</i> .
CMR4014I	No Component   Component <i>{??????}</i> not found for target area <i>{area}</i> .
CMR4020I	Job Submitted   Job to batch retrieve has been submitted.
CMR4030I	Retrieve Exit Error   Retrieve halted by system exit, please contact administrator.
CMR4031I	No Component Found   Retrieve halted by system exit, please contact administrator.
CMR4040I	Retrieve Complete   Retrieve completed <i>{??????}</i> of <i>{??????}</i> components for area <i>{area}</i> .
CMR4210A	INVALID DATE   <i>{date}</i> is an invalid Gregorian date.
CMR4400I	Release Detach Error   Package <i>{package}</i> still has components not retrieved from Release.
CMR4401I	Retrieve Error   Package <i>{package}</i> has no components to retrieve from Release.
CMR4402I	Release Detach Error   Package <i>{package}</i> has components in the Release, RP to Retrieve.

## Release Management Unblock Messages

CMR4500I	Release Unblocked   Release <i>{release}</i> has been successfully unblocked.
CMR4501I	Area Unblocked   Release <i>{release}</i> Area <i>{area}</i> has been successfully unblocked.

## Release Management Housekeeping Messages

CMR5051A	Versions not allowed   Save staging versions not allowed for RECFM "U" library types.
CMR5052A	Versions not allowed   Save staging versions not allowed for library type like other.

## Release Management Library Type Messages

CMR5500A	Undefined Library Type   Library Type <i>{type}</i> is undefined for release <i>{release}</i> .
CMR5501A	Undefined Library Type   SYSLIB Library Type <i>{type}</i> is undefined.
CMR5502A	Not All Changes Allowed   Library Type(s) <i>{type}</i> area libraries already allocated.

---

CMR5503I	SYSLIB Not Found   SYSLIB definition for {??????} not found.
CMR5504I	Invalid SYSLIB Type   SYSLIB Library Type { <i>type</i> } has an invalid like Value {??????}.
CMR5505I	Invalid SYSLIB Type   SYSLIB Library Type { <i>type</i> } invalid for copylib request.
CMR5506I	Target LibType Error   Library Type { <i>type</i> } has no target library type defined.
CMR5507I	No More Library Types   There are no more library types for related application found to add.
CMR5508A	No Library Types Added   There are no more library types for related application found to add.
CMR5509A	No More Library Types   There are no more {??????} library types found.
CMR5510A	No More Langs/Procs   No more languages/procedures found for library type { <i>type</i> }.
CMR5511A	Library Type Updated   Library Type { <i>type</i> } has been successfully updated.
CMR5512A	Library Type Deleted   Library Type { <i>type</i> } has been successfully deleted.
CMR5513A	SYSLIB Updated   SYSLIB {??????} has been successfully updated.
CMR5514A	SYSLIB Deleted   SYSLIB {??????} has been successfully deleted.
CMR5515A	Undefined Lang/Proc   Language/Procedure {??????} undefined for application { <i>application</i> }.
CMR5516A	Undefined LibType   Application does not have release LibType { <i>libtype</i> } defined.
CMR5517A	Invalid Numeric   Invalid numeric data {??????} for {??????}.
CMR5518A	Undefined Library Type   Global Library Type { <i>type</i> } is undefined.
CMR5519A	Undefined Library Type   Application { <i>application</i> } Library Type { <i>type</i> } is undefined.
CMR5520I	Invalid Library Type   Only source library types have copylib concatenations.
CMR5521I	Libraries Allocated   Release { <i>release</i> } area libraries allocated for library type { <i>type</i> }.

## Release Management Approval Messages

CMR6000A	Invalid Approval Rule   Approval Rule { <i>rule</i> } invalid - should be 0 - 3.
----------	--

CMR6001A	Undefined Approver   Approver entity {??????} is not defined contact Release Admin.
CMR6002A	Invalid Approver Code   Approver code {code} is not valid, A and R are valid.
CMR6010A	Approver association   Approver association does not exist for {??????}.
CMR6011I	Approval Error   Approval/Rejection previously executed for this approver.
CMR6012I	Sequence Error   Your approval/rejection is not next on the hierarchy list.
CMR6013I	Reject Not Found   Release {release} has never been rejected.
CMR6014I	Reject Not Found   Release {release} Area {area} has never been rejected.
CMR6015I	Already Notified   Release {release} Area {area} approvers already notified.
CMR6016I	Invalid Value   Check-in value {value} invalid, must be Y or N.
CMR6017I	Invalid Value   Check-off value {value} invalid, must be Y or N.
CMR6018I	Invalid Approver   Check-in and Check-off approvers are mutually exclusive.
CMR6019I	Invalid Approver   Approver must be either a Check-in or Check-off approver.
CMR6020I	Invalid Value   Associated value {value} invalid, must be Y or N.
CMR6021I	Invalid Value   Install approver value {value} invalid, must be Y or N.
CMR6022I	Invalid Approver   Approver must be either a Check-in, Check-off or Install approver.
CMR6023I	Invalid Association   Approver association must have at least one association entered.
CMR6024I	Approver Error   No Approvers Notified for release {release} Area {area}.
CMR6025A	Approvers Notified   Updates for {??????} approvers denied already notified.
CMR6026A	Approver Already Defined   Approver {??????} has already been defined.
CMR6027A	No Global Approvers   There are no more Global Approvers to list.
CMR6028A	Global Approver Updated   Global Approver {??????} has been successfully updated.

---

CMR6029A	Global Approver Created   Global Approver {??????} has been successfully created.
CMR6030A	Global Approver Deleted   Global Approver {??????} has been successfully deleted.
CMR6031A	Install Approver Updated   Install Approver {??????} has been successfully updated.
CMR6032A	Install Approver Deleted   Install Approver {??????} has been successfully deleted.
CMR6033A	Area Approver Updated   Area Approver {??????} has been successfully updated.
CMR6034A	Area Approver Deleted   Area Approver {??????} has been successfully deleted.
CMR6035I	Release Approved   Approver {??????} has successfully approved Release { <i>release</i> }.
CMR6036I	Release Rejected   Approver {??????} has successfully rejected Release { <i>release</i> }.
CMR6037I	Release Approved   Release { <i>release</i> } has been approved.
CMR6038I	Release Rejected   Release { <i>release</i> } has been rejected.
CMR6039I	Area Approvers Notified   Release { <i>release</i> } Area { <i>area</i> } check-off approvers notified.
CMR6040I	Area Approvers Notified   Release { <i>release</i> } Area { <i>area</i> } check-in approvers notified.
CMR6041I	Area Approvers Reset   Release { <i>release</i> } Area { <i>area</i> } check-in approvers have been reset.
CMR6042I	Area Approved   Approver {??????} has successfully approved Area { <i>area</i> }.
CMR6043I	Area Rejected   Approver {??????} has successfully rejected Area { <i>area</i> }.
CMR6044I	Area Approved   Release { <i>release</i> } Area { <i>area</i> } has been approved for check-in.
CMR6045I	Area Rejected   Release { <i>release</i> } Area { <i>area</i> } has been rejected for check-in.
CMR6046I	Area Approved   Release { <i>release</i> } Area { <i>area</i> } has been check-off approved.
CMR6047I	Area Rejected   Release { <i>release</i> } Area { <i>area</i> } has been rejected for check-off.
CMR6048I	Invalid Approver   Approver entity {??????} is not a Check-in approver.

CMR6049I	Invalid Approver   Approver entity {??????} is not a Check-off approver.
CMR6050I	Invalid Approver   Approver entity {??????} is not a Release approver.
CMR6051I	Area Approved   Release { <i>release</i> } Area { <i>area</i> } has already been check-in approved.
CMR6052I	Area Approved   Release { <i>release</i> } Area { <i>area</i> } has already been check-off approved.

## Release Management Checkout Messages

CMR6500A	Invalid Option   Release package is in {??????} status; must be in DEV status.
CMR6502I	Action in Progress   Checkout bypassed due to {??????} in progress for area { <i>area</i> }
CMR6503A	Install Date Error   Package install date must be current or future date for checkout.
CMR6504I	No Information   No information found for {??????} request.
CMR6507A	Invalid Date   { <i>date</i> } is an invalid Gregorian date for checkout function.
CMR6508A	Invalid Date Range   FROM date { <i>date</i> } is more current than the TO date for checkout.
CMR6509I	No Selections   No components selected for Checkout into target area { <i>area</i> }.
CMR6510A	I/O Error   I/O error on log file attempting update for Checkout activity.
CMR6511A	Storage Error   Memory unavailable for checkout result list. Getmain RC = { <i>returncode</i> }.
CMR6512A	Copy Error   Error on Copy from Target Area { <i>area</i> }.
CMR6513A	No Library Types   No application library types defined in the package master.
CMR6514A	Update Alloc Error   Unable to update deferred allocation for {??????} library type.
CMR6515I	Not Qualified   No components selected for Checkout qualify for area { <i>area</i> }.
CMR6516I	No Areas Found   No Areas were found for release { <i>release</i> } that allow checkout.

---

## Release Management Area Messages

CMR7000A	Undefined Area   Area {area} is undefined for release {release} .
CMR7001I	Invalid Status   Release {release} Area {area} is not blocked.
CMR7002I	Invalid Status   Release {release} Area {area} is already blocked.
CMR7003I	Invalid Status   Release {release} Area {area} has not been approved for check-in.
CMR7004A	Incomplete Areas   No Subsystem Area found for Release {release}.
CMR7005A	Incomplete Areas   No System Area found for Release {release}.
CMR7006A	Incomplete Areas   No starting Subsystem Area found for Release {release}.
CMR7007A	Incomplete Areas   No ending System Area found for Release {release}.
CMR7008A	Invalid Ending Area   Areas can only have one ending System Area.
CMR7009A	Area Config. Invalid   Area {area} is not a valid starting SubSystem Area.
CMR7010A	Undefined Area   Area {area1} contains next/prior Area {area2} that is undefined.
CMR7011A	Area Config. Invalid   Area {area} is not a valid ending System Area.
CMR7012A	Area Config. Invalid   Area {area} can not have itself as a next/prior area.
CMR7013A	Area Config. Invalid   Area {area1} Next Area {area2} is not a higher step number.
CMR7014A	Area Config. Invalid   Area {area1} Prior Area {area2} is not a lower step number.
CMR7015A	Area Config. Invalid   System Area {area1} can not have Subsystem Area {area2} as Next Area.
CMR7016A	Area Config. Invalid   Subsystem Area {area1} can not have System Area {area2} as Prior Area.
CMR7017A	Area Config. Invalid   Area {area} has both Next and Prior Areas the same.
CMR7018A	Area Config. Invalid   Area {area1} has Next Area beyond first System Area {area2}.
CMR7019A	Area Config. Invalid   System Area {area1} Next Area not next Area {area2} in chain.
CMR7020A	Area Config. Invalid   System Area {area1} Prior Area not Prior Area {area2} in chain.

CMR7021A	Area Config. Invalid   Starting Area {area} has broken forward chain to Final Area.
CMR7022A	Area Config. Invalid   Area {area} has no backward chain to a Starting Subsystem Area.
CMR7023A	Area Config. Invalid   Area {area1} has broken backward chain Prior Area {area2}.
CMR7024A	Area Already Defined Invalid   Area {area} has already been defined for release {release}.
CMR7025A	Area Created   Area {area} has been successfully created.
CMR7026A	Area Updated   Area {area} has been successfully updated.
CMR7027A	Area deleted   Area {area} has been successfully deleted.
CMR7028A	Areas Undefined   Release {release} has no Areas defined.
CMR7029I	Areas Unblocked   Area {area} is not blocked in Release {release}.
CMR7030I	Nothing In Progress   Area {area} has nothing in progress at this time.
CMR7031I	No Resets Processed   Area {area} had no in progress indicators selected for reset.
CMR7032I	In Progress Reset   Area {area} in progress {??????} indicator reset.
CMR7033A	Undefined Entity   Entity {??????} is not defined for {??????} rule contact Admin.
CMR7034I	Access Denied   Access denied for entity {??????} for {??????} rule.
CMR7035I	Invalid Status   Release {release} Area {area} has not been approved for check-off.
CMR7036I	Invalid Command   Area package component test is only valid for system areas.
CMR7037I	Invalid Status   Release {release} Area {area} has not been approved for check-in.
CMR7038I	Invalid Reason   Diff version in final area; Check-in from package
CMR7039A	Invalid Status   Clean-up of DEV packages not allowed; check release settings
CMR7040A	Invalid Status   Clean-up of FRZ packages not allowed; check release settings
CMR7041A	Invalid Status   Clean-up of APR packages not allowed; check release settings
CMR7042I	Invalid Status   Only DEV, FRZ, and APR packages can be auto clean-up.

---

CMR7043I	Invalid Status   Not all failed components can be selected for clean-up.
CMR7200I	Lock Not Found   Area component lock(s) not found for specified lock.
CMR7201I	Duplicate Lock   Duplicate area component lock found for {??????}.
CMR7202I	Locks Deleted   Area component locks deleted for {??????}.

## Release Packages Messages

CMR7500A	No Packages   Release { <i>release</i> } has no packages attached.
CMR7501I	Packages Found   Release { <i>release</i> } still has packages attached.
CMR7502I	Pkg/AppI Match Error   Package { <i>package</i> } does not match application { <i>application</i> }.
CMR7503I	Release Package Error   Package { <i>package</i> } is not attached to Release { <i>release</i> }.
CMR7504I	Area Package Error   Package { <i>package</i> } is not attached to Area { <i>area</i> }.
CMR7505I	Packages Found   Release application { <i>application</i> } still has packages attached.
CMR7506I	Package Delete Error   Package { <i>package</i> } is still attached to release { <i>release</i> }.
CMR7507I	Package Detached   Package { <i>package</i> } is now detached from release { <i>release</i> }.
CMR7508I	Package Updated   Package { <i>package</i> } is now attached to release { <i>release</i> }.
CMR7509I	No Releases Found   No Releases found with Packages attached.
CMR7509I	No Releases Found   No Releases found with Packages attached.
CMR7510I	Invalid Status   Option only for Packages in DEV, FRZ or APR status.
CMR7511I	Audit Failure   Package { <i>package</i> } failed the audit with a return code of { <i>returncode</i> }.
CMR7512I	Invalid Install Date   Install date must be within release date { <i>date1</i> } to { <i>date2</i> }.
CMR7513I	Invalid Install Time   Install time must be within release time { <i>time1</i> } to { <i>time2</i> }.
CMR7514I	Package not checked in   Package { <i>package</i> } has not been checked into Release { <i>release</i> }.
CMR7515I	Package not Approved   Package { <i>package</i> } has not been approved for Release { <i>release</i> }.

CMR7516I	Invalid Install info.   Package { <i>package</i> } install outside release { <i>release</i> } install range.
CMR7517I	Component Checked In   Component { <i>???????</i> } is checked into release { <i>release</i> } .
CMR7518I	Invalid Status   Package { <i>package</i> } must be in { <i>???????</i> } status.
CMR7520I	Select Error   Multiple selections not allowed, select only one.
CMR7530I	Attach Error   Package attach halted by system exit, please contact administrator.
CMR7531I	Detach Error   Package detach halted by system exit, please contact administrator.

## Release Management General Services Messages

CMR8000I	Process error   { <i>???????</i> } was not specified.
CMR8001I	No Information   No information found for { <i>???????</i> } request.
CMR8002I	Service completed   { <i>???????</i> } service completed
CMR8003I	List continuing   The { <i>???????</i> } list is continuing.
CMR8240A	Process Error   { <i>???????</i> } is already linked to { <i>???????</i> }.
CMR8240A	Process Error   { <i>???????</i> } is already linked to { <i>???????</i> }.
CMR8490I	Process Error   { <i>???????</i> } was not specified.
CMR8502I	Process Error   { <i>???????</i> } is invalid.
CMR8600I	List complete   The { <i>???????</i> } list is complete.
CMR8605I	List continuing   The { <i>???????</i> } list is continuing.
CMR8646A	Duplicate Record   Package Master record already exists
CMR8700I	Service completed   { <i>???????</i> } service completed
CMR8701I	Request pending   { <i>???????</i> } service request pending
CMR8702I	Request Cancelled   { <i>???????</i> } service request cancelled
CMR8703I	Service failed   { <i>???????</i> } service failed
CMR8730I	Invalid input   Input field { <i>???????</i> } has invalid data: { <i>???????</i> }.
CMR8732I	Service error   Data set information not available.
CMR8734I	Service error   Unable to delete data set; Reason code = { <i>???????</i> }
CMR8750A	Service error   Address space creation failed.
CMR8752I	Record not found.   { <i>???????</i> } record not found.

---

CMR8756A	Function restricted   Release LINKs restricted. Contact Local Admin.
CMR8758A	Already Linked   LINK error - release { <i>release</i> } is already LINKed.
CMR8758A	Already Linked   LINK error - release { <i>release</i> } is already LINKed.
CMR8760A	Not Linked   UNLINK error - release { <i>??????</i> } is not LINKed.
CMR8764A	Not Linked   Release { <i>??????</i> } is not Linked.
CMR8766A	Linked Package   Release { <i>??????</i> } is Linked, process restricted.
CMR8785A	Too much storage   Query results exhausted storage, query is too general. <b>Explanation:</b> A release component query or search returned results that exceeded available storage. <b>Solution:</b> Make the release component query or search more specific. Reduce the number of wild carded arguments or reduce the range of wild cards.
CMR8800I	Invalid DSN Pattern   { <i>??????</i> } is an invalid DSN pattern for release datasets.

## Release Management Query Messages

CMR9000A	Application Error   Release Id { <i>??????</i> } application record not found in package master.
CMR9001A	Invalid Date   { <i>date</i> } is an invalid Gregorian date for query component function.
CMR9002A	Invalid Date Range   FROM date { <i>date</i> } is more current than the TO date for query component function.
CMR9003I	No Components Found   No release components were found in this query.

## Release Area Promotion Messages

CMR9500I	Undefined Promotion   { <i>??????</i> } Promotion { <i>??????</i> } for { <i>??????</i> } is undefined.
CMR9501I	Promotion Updated   Area Promotion { <i>??????</i> } has been successfully updated.
CMR9502A	Promotion Deleted   Area Promotion { <i>??????</i> } has been successfully deleted.
CMR9503A	Undefined Promotion   Application { <i>application</i> } has no promotion sites defined.
CMR9504A	Undefined Promotion   Application { <i>application</i> } promotion site { <i>site</i> } has no promotion levels defined.

CMR9505A	Promotion Defined   All promotion possible already defined for Area <i>{area}</i> .
CMR9506I	Authorization Failed   Not allowed to promote/demote from site <i>{site}</i> level <i>{??????}</i> .
CMR9507I	No Packages Selected   No packages were selected for processing.
CMR9508I	No Packages Found   No release packages for <i>{??????}</i> for application <i>{application}</i> .
CMR9509I	No Libraries Found   Application <i>{application}</i> has no promotion libraries for <i>{??????}</i> .
CMR9510I	No Promotion History   No promotion history found for site <i>{site}</i> level <i>{??????}</i> .
CMR9511I	Invalid Date   <i>{date}</i> is an invalid Gregorian date for <i>{??????}</i> function.
CMR9512I	Invalid Date Range   FROM date <i>{date1}</i> is more current than the TO date <i>{date2}</i> .
CMR9513I	No Promotion History   No component history found for site <i>{site}</i> level <i>{??????}</i> .
CMR9514I	No Overlays Found   No Component overlays found for site <i>{site}</i> level <i>{??????}</i> .
CMR9515I	No Components Selected   No Components were selected for processings.
CMR9516I	Promotion Submitted   Area <i>{area}</i> promotion jobs submitted for <i>{??????}</i> .
CMR9517I	Demotion Submitted   Area <i>{area}</i> demotion jobs submitted for <i>{??????}</i> .
CMR9518I	Demotion Submitted   Package <i>{package}</i> demotion jobs submitted for <i>{??????}</i> .
CMR9519I	Components Disallowed   Components selected can not be processed for this request.
CMR9520I	Package Promoted   <i>{??????}</i> demotion <i>{??????}</i> release <i>{??????}</i> required.
CMR9521I	Package Not Promoted   Package <i>{package}</i> is not promoted to any release sites.
CMR9522I	Demotion Required   Demotion from <i>{??????}</i> required before promotion allowed.
CMR9523I	Demotion Required   Demotion from <i>{??????}</i> required for unblock of area <i>{area}</i> .
CMR9523I	Demotion Required   Demotion from <i>{??????}</i> required for unblock of area <i>{area}</i> .

CMR9524I	Demotion Required   Demotion from {??????} required for {??????}.
CMR9525A	Promotion Defined   All possible promotion already defined for Application { <i>application</i> }.
CMR9530I	Promotion Denied   Promotion to {??????} must be done from ERO {??????}.
CMR9531I	Promotion Denied   Promotion to {??????} must be done from ERO {??????}.
CMR9540I	Promotion Error   All possible components already promoted to {??????}.
CMR9541I	Undefined Promotion   Application Area Promotion for {??????} is undefined.
CMR9550I	Storage Error   Memory unavailable for the {??????} Getmain RC { <i>returncode</i> }.
CMR9560I	Promotion Error   Full Promotion not allowed to lower levels, use selective.
CMR9565I	Demotion Error   All Packages not at level {??????} or 00, use selective demotion.
CMR9566I	Demotion Error   Package not at selected level, use selective demotion.
CMR9567I	Demotion Error   There is nothing to demotion, Package(s) are at level 00.
CMR9568I	Not Qualified  No components selected for Promote qualify for area { <i>area</i> }.



# Index

---

- checkout messages 14
- compare messages 21
- recompile messages 20
- stage messages 14
- assist messages 20
- guide to 4
- explanation
  - long 9
  - short 9
- browse log 30
- component
  - checkout 14
  - compare 21
  - recompile 20
  - stage 14
- DB2
  - assist 20
- descriptions 9
- general 10
- list 29
- package
  - approval 21
  - audit 19
  - backout 27
  - create 13
  - delete 25
  - freeze 21
  - promote 22
  - revert 25
- query 30
- release management administration 10
- release management general 9
- super/complex package 12
- approval messages 21
- audit messages 19
- backout messages 27
- create messages 13
- delete messages 25
- freeze messages 21
- promote messages 22
- revert messages 25
- messages 30

## A

- action messages 10
- Adobe Acrobat 7
- audit messages 23

## B

- browse log messages 33

## C

- CMR0000A 10
- CMR0001I 10
- CMR0002I 10
- CMR0003A 10
- CMR0004I 10
- CMR0005I 11
- CMR0006A 11
- CMR0007A 11
- CMR0008A 11
- CMR0009A 11
- CMR0010A 11
- CMR0011A 11
- CMR0012A 11
- CMR0012I 11
- CMR0013I 11
- CMR0014I 11
- CMR0050A 11
- CMR0500A 11
- CMR0501A 11
- CMR0502A 11
- CMR0503A 11
- CMR0504A 11
- CMR0505A 11
- CMR0506A 11
- CMR0507A 11
- CMR0510A 11
- CMR0511A 12
- CMR0512A 12
- CMR0513A 12
- CMR0515A 12
- CMR0516A 12
- CMR0517A 12
- CMR0518I 12
- CMR0519A 12
- CMR0520A 12

CMR0521A 12	CMR2512A 18
CMR0522A 12	CMR2513I 18
CMR0523A 12	CMR2514A 18
CMR0524A 12	CMR2515A 18
CMR0525A 12	CMR2516A 18
CMR0526A 12	CMR2517A 18
CMR0527A 12	CMR2518A 18
CMR0528A 12	CMR2519A 18
CMR0529A 12	CMR2520A 18
CMR0530A 12	CMR2521A 18
CMR0531I 12	CMR2522A 18
CMR0532A 12	CMR2523A 18
CMR0533A 13	CMR2524A 18
CMR0534A 13	CMR2525A 18
CMR0535A 13	CMR2526I 18
CMR0536A 13	CMR2527I 18
CMR0537A 13	CMR2528I 18
CMR0538A 13	CMR2529I 18
CMR0539A 13	CMR2530I 18
CMR0540A 13	CMR2531A 18
CMR0541A 13	CMR2532A 19
CMR0542A 13	CMR2533I 19
CMR1000I 13	CMR2534I 19
CMR1001I 13	CMR2535A 19
CMR1002I 13	CMR2536A 19
CMR1003I 13	CMR2537A 19
CMR1004A 13	CMR2538A 19
CMR1005I 14	CMR2539A 19
CMR1006I 14	CMR2540A 19
CMR1066I 15	CMR2541A 19
CMR1090A 15	CMR2542A 19
CMR1094A 15	CMR2543A 19
CMR1500A 16	CMR2544A 19
CMR1501I 16	CMR2545I 19
CMR1502I 16	CMR2546A 19
CMR1503I 16	CMR2547A 19
CMR1504A 16	CMR2548A 19
CMR1505A 16	CMR2549A 19
CMR1506I 16	CMR2550A 19
CMR1507I 17	CMR2551A 19
CMR1527I 17	CMR2552A 20
CMR2000I 17	CMR2553A 20
CMR2001I 17	CMR2554A 20
CMR2002I 17	CMR2555A 20
CMR2500A 17	CMR2556A 20
CMR2501A 17	CMR2557A 20
CMR2502A 17	CMR2558A 20
CMR2503A 17	CMR2559A 20
CMR2504A 17	CMR2560A 20
CMR2505A 17	CMR2561A 20
CMR2506A 17	CMR2562A 20
CMR2507A 17	CMR2563A 20
CMR2508A 17	CMR2564A 20
CMR2509A 17	CMR2565A 20
CMR2510A 17	CMR2566I 20
CMR2511A 17	CMR2567I 20

---

CMR2568A 20	CMR4008A 23
CMR2569A 20	CMR4009I 23
CMR2570A 20	CMR4010A 23
CMR2571A 20	CMR4011A 23
CMR2572A 21	CMR4012A 24
CMR2573A 21	CMR4013I 24
CMR2574A 21	CMR4014I 24
CMR2575A 21	CMR4020I 24
CMR2576A 21	CMR4030I 24
CMR2577A 21	CMR4031I 24
CMR2578A 21	CMR4040I 24
CMR2579I 21	CMR4210A 24
CMR2580A 21	CMR4400I 24
CMR2581A 21	CMR4401I 24
CMR2582A 21	CMR4402I 24
CMR2583A 21	CMR4500I 24
CMR2584A 21	CMR4501I 24
CMR2585I 21	CMR5051A 24
CMR2586A 21	CMR5052I 24
CMR2587A 21	CMR5500A 24
CMR2588A 21	CMR5501A 24
CMR2589A 21	CMR5502A 24
CMR2590A 21	CMR5503I 25
CMR2591A 21	CMR5504I 25
CMR2592A 22	CMR5505I 25
CMR2593A 22	CMR5506I 25
CMR2594A 22	CMR5507I 25
CMR2595A 22	CMR5508A 25
CMR2596I 22	CMR5509A 25
CMR2597I 22	CMR5510A 25
CMR2598A 22	CMR5511A 25
CMR2599I 22	CMR5512A 25
CMR2600I 22	CMR5513A 25
CMR2601A 22	CMR5514A 25
CMR2602A 22	CMR5515A 25
CMR2610I 22	CMR5516A 25
CMR2700I 22	CMR5517A 25
CMR2701I 22	CMR5518A 25
CMR2702I 22	CMR5519A 25
CMR2730I 22	CMR5520I 25
CMR2731I 22	CMR5521I 25
CMR2800I 22	CMR6000A 25
CMR3000A 23	CMR6001A 26
CMR3001A 23	CMR6002A 26
CMR3050I 23	CMR6010A 26
CMR3292I 23	CMR6011I 26
CMR3500I 23	CMR6012I 26
CMR3501A 23	CMR6013I 26
CMR4000A 23	CMR6014I 26
CMR4001I 23	CMR6015I 26
CMR4002A 23	CMR6016I 26
CMR4003I 23	CMR6017I 26
CMR4004A 23	CMR6018I 26
CMR4005A 23	CMR6019I 26
CMR4006A 23	CMR6020I 26
CMR4007A 23	CMR6021I 26

CMR6022I 26	CMR7011A 29
CMR6023I 26	CMR7012A 29
CMR6024I 26	CMR7013A 29
CMR6025A 26	CMR7014A 29
CMR6026A 26	CMR7015A 29
CMR6027A 26	CMR7016A 29
CMR6028A 26	CMR7017A 29
CMR6029A 27	CMR7018A 29
CMR6030A 27	CMR7019A 29
CMR6031A 27	CMR7020A 29
CMR6032A 27	CMR7021A 30
CMR6033A 27	CMR7022A 30
CMR6034A 27	CMR7023A 30
CMR6035I 27	CMR7024A 30
CMR6036I 27	CMR7025A 30
CMR6037I 27	CMR7026A 30
CMR6038I 27	CMR7027A 30
CMR6039I 27	CMR7028A 30
CMR6040I 27	CMR7029I 30
CMR6041I 27	CMR7030I 30
CMR6042I 27	CMR7031I 30
CMR6043I 27	CMR7032I 30
CMR6044I 27	CMR7033A 30
CMR6045I 27	CMR7034I 30
CMR6046I 27	CMR7035I 30
CMR6047I 27	CMR7036I 30
CMR6048I 27	CMR7037I 30
CMR6049I 28	CMR7038I 30
CMR6050I 28	CMR7039A 30
CMR6051I 28	CMR7040A 30
CMR6052I 28	CMR7041A 30
CMR6500A 28	CMR7042I 30
CMR6502I 28	CMR7043I 31
CMR6503A 28	CMR7200I 31
CMR6504I 28	CMR7201I 31
CMR6507A 28	CMR7202I 31
CMR6508A 28	CMR7500A 31
CMR6509I 28	CMR7501I 31
CMR6510A 28	CMR7502I 31
CMR6511A 28	CMR7503I 31
CMR6512A 28	CMR7504I 31
CMR6513A 28	CMR7505I 31
CMR6514A 28	CMR7506I 31
CMR6515I 28	CMR7507I 31
CMR6516I 28	CMR7508I 31
CMR7000A 29	CMR7509I 31
CMR7001I 29	CMR7510I 31
CMR7002I 29	CMR7511I 31
CMR7003I 29	CMR7512I 31
CMR7004A 29	CMR7513I 31
CMR7005A 29	CMR7514I 31
CMR7006A 29	CMR7515I 31
CMR7007A 29	CMR7516I 32
CMR7008A 29	CMR7517I 32
CMR7009A 29	CMR7518I 32
CMR7010A 29	CMR7520I 32

CMR7530I 32  
 CMR7531I 32  
 CMR8000I 32  
 CMR8001I 32  
 CMR8002I 32  
 CMR8003I 32  
 CMR8100A 32  
 CMR8240A 32  
 CMR8490I 32  
 CMR8502I 32  
 CMR8600I 32  
 CMR8605I 32  
 CMR8646A 32  
 CMR8700I 32  
 CMR8701I 32  
 CMR8702I 32  
 CMR8703I 32  
 CMR8730I 32  
 CMR8732I 32  
 CMR8734I 32  
 CMR8750A 32  
 CMR8752I 32  
 CMR8756A 33  
 CMR8758A 33  
 CMR8760A 33  
 CMR8764A 33  
 CMR8766A 33  
 CMR8785A 33  
 CMR8800I 33  
 CMR9000A 33  
 CMR9001A 33  
 CMR9002A 33  
 CMR9003I 33  
 CMR9500I 33  
 CMR9501I 33  
 CMR9502A 33  
 CMR9503A 33  
 CMR9504A 33  
 CMR9505A 34  
 CMR9506I 34  
 CMR9507I 34  
 CMR9508I 34  
 CMR9509I 34  
 CMR9510I 34  
 CMR9511I 34  
 CMR9512I 34  
 CMR9513I 34  
 CMR9514I 34  
 CMR9515I 34  
 CMR9516I 34  
 CMR9517I 34  
 CMR9518I 34  
 CMR9519I 34  
 CMR9520I 34  
 CMR9521I 34  
 CMR9522I 34

CMR9523I 34  
 CMR9524I 35  
 CMR9525A 35  
 CMR9530I 35  
 CMR9531I 35  
 CMR9540I 35  
 CMR9541I 35  
 CMR9550I 35  
 CMR9560I 35  
 CMR9565I 35  
 CMR9566I 35  
 CMR9567I 35  
 CMR9568I 35  
 component  
   checkout messages 17  
   compare messages 24  
   recompile messages 23  
   stage messages 17

## D

DB2  
   assist messages 23  
   descriptions of messages 10  
   documentation  
     guide to 5

## G

general messages 11

## H

help key 10

## I

informational messages 10

## L

list messages 32  
 long message explanation 10

## M

manuals, information about 5  
 message  
   explanation  
     long 10  
     short 10

- messages
  - browse log 33
  - component
    - checkout 17
    - compare 24
    - recompile 23
    - stage 17
  - DB2
    - assist 23
  - descriptions 10
  - general 11
  - list 32
  - package
    - approval 24
    - audit 23
    - backout 31
    - create 16
    - delete 29
    - freeze 24
    - promote 25
    - revert 28
  - query 33
  - release management administration 11
  - release management general 10
  - super/complex package 13

## O

- online documentation 7

## P

- package
  - approval messages 24
  - audit messages 23
  - backout messages 31
  - create messages 16
  - delete messages 29
  - freeze messages 24
  - promote messages 25
  - revert messages 28

## Q

- query
  - messages 33

## S

- short message explanation 10
- super/complex package messages 13