
Micro Focus Security ArcSight ESM

Software Version: 7.2 Service Pack 1

Upgrade Guide

Document Release Date: April 2020

Software Release Date: April 2020



Legal Notices

Copyright Notice

© Copyright 2001-2020 Micro Focus or one of its affiliates

Confidential computer software. Valid license from Micro Focus required for possession, use or copying. The information contained herein is subject to change without notice.

The only warranties for Micro Focus products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Micro Focus shall not be liable for technical or editorial errors or omissions contained herein.

No portion of this product's documentation may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or information storage and retrieval systems, for any purpose other than the purchaser's internal use, without the express written permission of Micro Focus.

Notwithstanding anything to the contrary in your license agreement for Micro Focus ArcSight software, you may reverse engineer and modify certain open source components of the software in accordance with the license terms for those particular components. See below for the applicable terms.

U.S. Governmental Rights. For purposes of your license to Micro Focus ArcSight software, "commercial computer software" is defined at FAR 2.101. If acquired by or on behalf of a civilian agency, the U.S. Government acquires this commercial computer software and/or commercial computer software documentation and other technical data subject to the terms of the Agreement as specified in 48 C.F.R. 12.212 (Computer Software) and 12.211 (Technical Data) of the Federal Acquisition Regulation ("FAR") and its successors. If acquired by or on behalf of any agency within the Department of Defense ("DOD"), the U.S. Government acquires this commercial computer software and/or commercial computer software documentation subject to the terms of the Agreement as specified in 48 C.F.R. 227.7202-3 of the DOD FAR Supplement ("DFARS") and its successors. This U.S. Government Rights Section 18.11 is in lieu of, and supersedes, any other FAR, DFARS, or other clause or provision that addresses government rights in computer software or technical data.

Trademark Notices

Adobe™ is a trademark of Adobe Systems Incorporated.

Microsoft® and Windows® are U.S. registered trademarks of Microsoft Corporation.

UNIX® is a registered trademark of The Open Group.

Support

Contact Information

Phone	A list of phone numbers is available on the Technical Support Page: https://softwaresupport.softwaregrp.com/support-contact-information
Support Web Site	https://softwaresupport.softwaregrp.com/
ArcSight Product Documentation	https://community.softwaregrp.com/t5/ArcSight-Product-Documentation/ct-p/productdocs

Contents

Chapter 1: Preparing to Upgrade	5
Understanding Supported Upgrade Paths	5
Understanding Supported Operating Systems on an Appliance	6
Completing Pre-Upgrade Tasks	6
Running the Resource Validator	8
Preparing Resources for Upgrade	9
Backing Up Resources Before Upgrading	10
Software ESM: Installing the Time Zone Package	11
Testing the Upgrade	12
Chapter 2: Running the Upgrade	14
Upgrading Software ESM	14
Upgrading ESM on an Appliance	19
Upgrading the Operating System on a B7500 (G8) Appliance	19
Upgrading a B7600 (G9) Appliance	20
Upgrading a Hierarchical or Other Multi-ESM Installation	22
Verifying Successful Upgrade	23
Reporting Upgrade Issues	24
Chapter 3: Completing Post-Upgrade Tasks	26
Completing Required Post-Upgrade Tasks	26
Restoring or Deleting Deprecated Resources	28
Updating the Cases User Interface	29
Restoring and Verifying Customized Standard Resources	30
Verifying Content Transfer	31
Completing Optional Post-Upgrade Tasks	32
Converting from Compact Mode to Distributed Correlation Mode	34
Appliance: Converting to Prefer IPv6	37
Configuring ArcSight Investigate Access	37
Configuring Transformation Hub Access - Non-FIPS Mode	38
Setting Up SSL Client-Side Authentication Between Transformation Hub and ESM - Non-FIPS Mode	40
Configuring Transformation Hub Access - FIPS Mode (Server Authentication Only)	42
Configuring Integration with ServiceNow® IT Service Management (ITSM)	44
Chapter 4: Upgrading the ArcSight Console and Smart Connectors	45
Upgrading the ArcSight Console	45
Upgrading ArcSight SmartConnectors	46

Send Documentation Feedback	48
-----------------------------------	----

Chapter 1: Preparing to Upgrade

This document describes the steps required to upgrade software ESM or ESM on an appliance to version 7.2 Service Pack 1. This chapter describes how to prepare your environment for upgrade.

ESM Appliance and ESM Express use different licensing models. Both are installed on an appliance.

You install software ESM on your own hardware.

For information about upgrading in a high availability environment, see the [ESM High Availability Module User's Guide](#).

Understanding Supported Upgrade Paths

The following upgrade paths are supported for software ESM (in both compact mode and distributed correlation mode) and ESM on an appliance:

- For ESM 6.11, with or without patches, first upgrade to ESM 7.0 Patch 1, then upgrade to ESM 7.2. After you have upgraded to ESM 7.2, you can upgrade to ESM 7.2 Service Pack 1
- For ESM 7.0, first apply ESM 7.0 Patch 2, then upgrade to ESM 7.2. After you have upgraded to ESM 7.2, you can upgrade to ESM 7.2 Service Pack 1.
- For ESM 7.0 Patch 1 and Patch 2, you can upgrade directly to ESM 7.2. After you have upgraded to ESM 7.2, you can upgrade to ESM 7.2 Service Pack 1.
- For ESM 7.2, you can upgrade directly to ESM 7.2 Service Pack 1.

Note: Micro Focus recommends upgrading to the latest patch for your current version of ESM before you upgrade to the next version.

For information about supported platforms, see the [ESM Support Matrix](#).

Note: If you are running ESM in compact mode and want to convert to distributed correlation mode, complete the upgrade to ESM 7.2 Service Pack 1 as described in [Running the Upgrade](#), and then convert the system to distributed correlation mode as described in [Converting from Compact Mode to Distributed Correlation Mode](#). Conversion to distributed correlation mode is not supported on an appliance.

Understanding Supported Operating Systems on an Appliance

ESM 7.2 Service Pack 1 supports B7500 (G8) appliances running on RHEL 6.10.

If you are running ESM 6.11 on a G8 appliance that is running RHEL 6.8, after you upgrade the appliance to ESM 7.0 Patch 1 and RHEL 6.9, you must upgrade the operating system to RHEL 6.10.

ESM 7.2 Service Pack 1 supports B7600 (G9) appliances running on RHEL 7.7.

If you are on ESM 6.11 on a G9 appliance that is running RHEL 7.3, after you upgrade the appliance to ESM 7.0 Patch 1 and RHEL 7.4, you must upgrade the operating system first to RHEL 7.5 and then to RHEL 7.7.

For more information about upgrading an appliance, see [Upgrading ESM on an Appliance](#).

Completing Pre-Upgrade Tasks

This section describes tasks to complete in order to ensure a successful upgrade. Keep the following points in mind as you are preparing to upgrade:

- For software ESM, both XFS and EXT4 file system formats are supported during installation. However, ESM configures itself to the file system upon which it was first installed. You cannot change the file system type after installation, even during an upgrade.

To prepare your system for upgrade:

1. Verify that your current software ESM or ESM on an appliance is fully functional and that archives are intact.

If there is an issue with your existing system, contact [Technical Support](#) before you start the upgrade.

2. Run the resource validator (`resvalidate`) and fix invalid resources.

For more information, see [Running the Resource Validator](#).

3. If you are a Premier/Flexcare customer seeking upgrade support by using your Flex credits, contact [Technical Support](#) to discuss upgrade assistance.

4. Copy the `/opt/arcsight` directory or complete tasks in the [CORR-Engine Backup and Recovery Tech Note](#) to create a backup copy of the system.

If you do not want to back up events and archives, you can exclude the following directories from the backup:

- /opt/arcsight/logger/data/archives
- /opt/arcsight/logger/data/indexes
- /opt/arcsight/logger/data/logger

Note: After you restore the backup, ensure that the /opt/arcsight/logger/data/logger/ directory exists before you start the services. Otherwise, the loggerd service will not start.

5. Prepare your resources for upgrade.

For more information, see [Preparing Resources for Upgrade](#).

6. Restore the ArcSight Manager truststore password to the default value of changeit.

When SSL client-based authentication is in use, the upgrade program requires an SSL certificate in the ArcSight Manager's truststore for the ArcSight services client. If you changed the ArcSight Manager truststore password after the last installation or upgrade, the certificate import does not occur. The upgrade program completes, but the ArcSight Manager service will remain in Initialized status indefinitely.

After the upgrade is complete, you can change the password.

7. Restore the ArcSight client truststore password to the default value of changeit.

The upgrade program cannot transfer trusted certificates from the previous truststore to the new truststore unless the password is set to the default value. If you do not change the password to the default value, the ArcSight Console upgrade will fail.

After the upgrade is complete, you can change the password.

8. If you are upgrading software ESM, ensure that the /opt directory has at least 50 GB of free space and that the /tmp directory has at least 5 GB of free space.

Caution: Do not mount /opt or /opt/arcsight to the /tmp directory. Linux has a cleanup process that deletes files under /tmp. Subsequently, you will risk losing your ESM installation.

9. Set the Java (Manager) heap size.

Micro Focus recommends changing the Java heap size to at least 16 GB before you upgrade. If the heap size is less than 16 GB, the upgrade program displays a message recommending that you increase the heap size to at least 16 GB after the upgrade is complete.

To avoid that message, as user arcsight, run

/opt/arcsight/manager/bin/arcsight managersetup to increase the Java heap size. For more information about managersetup, see the [ESM Administrator's Guide](#).

10. If you are installing or upgrading software ESM, install the time zone package.

For more information, see [Software ESM: Installing the Time Zone Package](#).

11. Depending on your environment, install the following libraries:
 - If you are upgrading in a RedHat or CentOS 8.1 environment:
 - ncurses-compat-libs
 - libnsl
 - libaio
 - numactl
 - If you are upgrading in a SUSE Enterprise Linux 15 SP 1 environment:
 - libncurses5
 - libaio1
 - numactl
 - If you are upgrading in a SUSE Enterprise Linux 12 SP 4 environment:
 - libaio1
 - numactl
 - For all other environments:
 - libaio
 - numactl
12. (Conditional) If you are upgrading ESM in a RedHat or CentOS environment running X Windows, either download and install the required RPM package (LibXtst.x86_64) from https://centos.pkgs.org/7/centos-x86_64/libXtst-1.2.3-1.el7.x86_64.rpm.html or run the following command to install the LibXtst.so.6 library:

```
yum install libXtst
```
13. Download ArcSightESMSuite-7.2.1.xxxx.tar from the [Licensing and Downloads site](#) (where xxxx is the build number) and copy the file to the system you will be upgrading.

Micro Focus provides a digital public key to enable you to verify that the signed software that you received is from Micro Focus and has not been manipulated by a third party. For more information and instructions, visit the [Signature Verification](#) page.

To initiate license procurement, after you download the .tar file, follow the instructions in the Electronic Delivery Receipt that you receive in e-mail.
14. Test the upgrade before you upgrade your production environment.

For more information, see [Testing the Upgrade](#).

Running the Resource Validator

Run the resource validator (resvalidate) and fix all invalid resources before you start the upgrade process. After the upgrade process is complete, run the resource validator

again to see if a change in the schema rendered any resources invalid. For more information about fixing invalid resources, see [Completing Required Post-Upgrade Tasks](#).

The resource validator verifies that the values expressed in the resource condition statement still apply to the resource, and that any resources upon which it depends are present and valid. The resource validator runs on any resource that contains a condition statement or populates the asset model. For example:

- Active channels
- Filters
- Data monitors
- Rules
- Report queries and schedules
- Assets and asset ranges
- Zones
- Actors

To run the resource validator:

1. Stop the ArcSight Manager:

```
/etc/init.d/arcsight_services stop manager
```

2. As user arcsight, run the following command:

```
/opt/arcsight/manager/bin/arcsight resvalidate -persist false
```

The resource validator generates `validationReport.html` and `validationReport.xml` in the `/opt/arcsight/manager` directory. Save these files to another directory so that you can compare them to the files that are generated after the upgrade.

3. Restart the ArcSight Manager:

```
/etc/init.d/arcsight_services start manager
```

After the upgrade is complete, run `resvalidate` again.

Preparing Resources for Upgrade

This section describes how the upgrade affects your resources and how to prepare your resources for upgrade.

Caution: Starting with ESM 7.0 Patch 1, the Event Reconciliation and Session Reconciliation data monitors are deprecated and no longer functional. If you customized these data monitors and apply the upgrade, the customized data monitors will appear as broken resources.

Standard, ESM-supplied resources are refreshed with new versions during upgrade. If you copied these resources to a custom group and then customized them, the upgrade does not affect the custom group.

If you customized standard resources in their original location, back up the resources to an .arb file (exclude related resources) before you upgrade. You can restore the resources after the upgrade is complete.

Note: When you restore an .arb file, you overwrite the version that the upgrade program provided. If the upgrade included improvements, the improvements will not be available. As an option, you can apply your customizations to the new version.

The upgrade does not affect the following customizations:

- Asset modeling for network assets, including the following:
 - Assets and asset groups and their settings
 - Asset categories applied to assets and asset groups
 - Vulnerabilities applied to assets
 - Custom zones
 - Custom network resources
 - Custom location resources
- SmartConnectors
- Users and user groups
- Report schedules
- Archived reports
- Notification destinations and priority settings
- Cases

If you customized the Cases Editor user interface, back up the customized files in a separate location and restore them after the upgrade is complete.

Backing Up Resources Before Upgrading

Back up standard resources that you customized in their original location (not resources that you moved to a custom group), including active lists.

Note: The upgrade program does not preserve active list attributes such as the Time to Live (TTL) and description. The upgrade program does preserve entries that were added to active lists.

To back up resources:

1. In the ArcSight Console, for each resource type (filter, rule, active list, etc.), create a new group under your personal group and provide a name that identifies the contents.
2. Copy the resources to the new group.
Any resources that point to other resources remain unchanged; they still point to the other resource even if you also copied that resource. You must correct the pointers to point to the copied version.
3. Export the backup groups in a package:
 - a. From the Navigator panel **Packages** tab, right-click your group name and select **New Package**. In the Packages editor in the Inspect/Edit panel, name the package to identify the contents.
 - b. Right-click the group that you created and select **Add to Package**.
 - c. Select your new package and click **OK**.
 - d. Right-click your package name and select **Export Package to Bundle**.

Tip: Copy and paste configurations from the old resources to the new resources after the upgrade is complete.

Instead of overwriting the new resources with backup copies of the old ones, copy and paste configurations from the old resources one by one into the new ones. This procedure ensures that you preserve your configurations without overwriting any improvements provided in the upgrade.

Software ESM: Installing the Time Zone Package

This section does not apply to ESM on an appliance.

ESM uses the time zone update package to automatically handle changes in time zone or changes between standard and daylight savings time. During the upgrade, ESM verifies whether the appropriate operating system time zone update package is installed. If it is not, you have the option to exit the upgrade program and install the latest package or continue the ESM upgrade and install the time zone update package later. Micro Focus recommends installing the time zone update package when prompted.

The package to use depends on your operating system version:

For this operating system:	Use this package or later:
SLES 12 Service Pack 4	timezone-2019b-74.26.1
SLES 15 Service Pack 1	timezone-2019b-3.20.1.x86_64.rpm

RHEL 8.1 and CentOS 8.1	tzdata-2019b-1.el8.noarch.rpm
RHEL 7.7 or CentOS 7.7	tzdata-2019b-1.el7.noarch.rpm
RHEL or CentOS 6.10	tzdata-2019b-2.el6.noarch.rpm

To install the time zone update package before upgrade:

1. Unpack the package and upload it to your server (for example, to `/opt/work/<package name>`).
2. As user root, run the following command:
`rpm -Uvh /opt/work/<package name>`
3. To check the time zone setting, run the following command:
`timedatectl`
4. If the time zone is not correct or it is not the desired time zone, run the following command to specify another time zone:
`timedatectl set-timezone <time zone>`
For example:
`timedatectl set-timezone America/Los_Angeles`

To install the time zone update package after the upgrade is complete:

1. Use the procedure above to install the correct time zone update package.
2. As user arcsight, shut down all ArcSight services:
`/etc/init.d/arcsight_services stop all`
3. As user arcsight, run the following command (all on one line):
`/opt/arcsight/manager/jre/bin/java -jar /opt/arcsight/manager/lib/jre-tools/tzupdater/ziupdater-1.0.1.2.jar -V`
4. As user arcsight, start all ArcSight services:
`/etc/init.d/arcsight_services start all`

Testing the Upgrade

Micro Focus recommends testing the upgrade before you upgrade your production environment. This section provides an example of how to perform this test.

To test the upgrade:

1. Install ESM in a test environment that matches your current production environment as closely as possible, including the following:

- The ESM version (major, minor, and patch) must be the same.
- The system (physical or virtual) must have sufficient memory and processing power to start all ESM services. Micro Focus recommends 16 GB RAM or greater.
- Ensure that the test version of ESM starts and works correctly **before** you import the test system tables.
- This is a system tables test only, so you do not need to configure LDAP, the SMTP server, or CA certificates.

Note: You must complete the remaining steps as user `arcsight`.

2. Stop the ArcSight Manager in the production environment:
`/etc/init.d/arcsight_services stop manager`
3. Export the system tables from the production environment:
`cd /opt/arcsight/manager/bin`
`./arcsight export_system_tables arcsight <mysql password> arcsight -s`
4. Start the ArcSight Manager in the production environment:
`/etc/init.d/arcsight_services start all`
5. Move the system tables dump to the test environment under
`/opt/arcsight/manager/tmp`.
6. Stop the ArcSight Manager in the test environment.
`/etc/init.d/arcsight_services stop manager`
7. Import the system tables from the production environment into the test environment.
`cd /opt/arcsight/manager/bin`
`./arcsight import_system_tables arcsight <mysql password> arcsight`
`<system-table-dump filename>`
8. Start the ArcSight Manager in the test environment:
`/etc/init.d/arcsight_services start manager`
9. Verify that the ArcSight Manager in the test environment is functioning.
10. Stop the ArcSight Manager in the test environment:
`/etc/init.d/arcsight_services stop manager`
11. Verify that the ArcSight Manager for the test system is completely shut down and that the `mysql` service is available.
12. Run `resvalidate` to validate resources.
For more information, see [Running the Resource Validator](#).
13. Proceed with the upgrade procedure in the test environment.
For more information, see [Running the Upgrade](#).

Chapter 2: Running the Upgrade

This chapter describes the steps required to upgrade your system from software ESM or ESM on an appliance to ESM 7.2 Service Pack 1.

Before you start the upgrade, complete the tasks in [Completing Pre-Upgrade Tasks](#).

For information about upgrading software ESM, see [Upgrading Software ESM](#).

For information about upgrading on an appliance, see [Upgrading ESM on an Appliance](#).

For information about upgrading a hierarchical or other multi-ESM deployment, see [Upgrading a Hierarchical or Other Multi-ESM Installation](#).

Upgrading Software ESM

This section describes how to upgrade software ESM in compact mode and software ESM in distributed mode.

Notes:

- For software ESM, running the upgrade in GUI mode is optional. To run the upgrade in GUI mode, install the X Windows system package for your operating system. Micro Focus recommends running the upgrade in console mode rather than GUI mode.
- X Windows is not included in the operating system image provided on a G9 appliance. If you are upgrading ESM on an appliance, use console mode.
- In GUI mode, if the upgrade program displays a dialog reporting an error or problem, click **Quit** to close the dialog. Micro Focus does not recommend using the **X** to close the dialog.

During the upgrade, ESM generates status messages in `/opt/arcsight/upgradelogs/suite_upgrade.log` so that you can view the upgrade progress. If you are upgrading ESM in compact mode or on the persistor node in distributed correlation mode, typical log messages are as follows:

```
[2020-01-29 14:46:11.206 PST] PROGRESS: Phase "Storage Engine Upgrade" started.
```

```
[2020-01-29 14:53:06.169 PST] PROGRESS: Phase "Storage Engine Upgrade" completed. Upgrade is 51.9% complete, about 6.6 minutes to go.
```

```
[2020-01-29 14:53:06.396 PST] PROGRESS: Phase "Start Storage Engine" started.
```

[2020-01-29 14:55:47.456 PST] PROGRESS: Phase "Start Storage Engine" completed. Upgrade is 70.3% complete, about 4.1 minutes to go.

[2020-01-29 14:56:12.964 PST] PROGRESS: Phase "Manager Upgrade" started.

[2020-01-29 14:58:47.456 PST] PROGRESS: Phase "Manager Upgrade" completed. Upgrade is 85.5% complete, about 2.1 minutes to go.

[2020-01-29 14:58:47.456 PST] PROGRESS: Phase "MySQL TZ Upgrade" started.

[2020-01-29 14:59:47.456 PST] PROGRESS: Phase "MySQL TZ Upgrade" completed. Upgrade is 85.5% complete, about 1.1 minutes to go.

[2020-01-29 14:58:47.456 PST] PROGRESS: Phase "Start up Processes" started.

[2020-01-29 15:00:05.456 PST] PROGRESS: Phase "Start up Processes" completed. Upgrade is 100.0% complete, about 0.0 minutes to go.

If you are upgrading a non-persistor node in distributed correlation mode, typical log messages are as follows:

[2020-01-29 14:15:57.480 PST] PROGRESS: Phase "Java Upgrade" started.

[2020-01-29 14:16:10.562 PST] PROGRESS: Phase "Java Upgrade" completed. Upgrade is 100.0% complete, about 0.0 minutes to go.

[2020-01-29 14:16:10.787 PST] PROGRESS: Phase "Manager Upgrade" started.

[2020-01-29 14:16:14.258 PST] PROGRESS: Phase "Manager Upgrade" completed. Upgrade is 100.0% complete, about 0.0 minutes to go.

Caution: Once you begin the upgrade, you cannot roll back to the previous version of ESM. The uninstallation link does not work with an upgrade. If you encounter errors, ensure that the system tables and log files are available and contact [Technical Support](#). For more information about the items to have available, see [Reporting Upgrade Issues](#).

Note: During the upgrade, the upgrade program backs up the MySQL data directory (/opt/arcsight/logger/data/mysql) as /opt/arcsight/logger/data/mysql.5.1.54.tar.gz.temp and then /opt/arcsight/logger/data/mysql.5.1.54.tar.gz.

Depending on the size of /opt/arcsight/logger/data/mysql, the backup might take from minutes to hours. 1.5 GB of data takes approximately one minute.

After you ensure that the upgrade is successful, you can manually delete the backup file.

To upgrade software ESM in compact mode:

1. As user `arcsight`, untar the `ArcSightESMSuite-7.2.1.xxxx.0.tar` file:

```
tar xvf ArcSightESMSuite-7.2.1.xxxx.0.tar
```
2. As user `root`, remove services before running the upgrade:

```
cd <untar_directory>/Tools
./stop_services.sh
```
3. If necessary, upgrade the operating system to a supported version.
For more information, see the [ESM Support Matrix](#).
4. Services restart after you complete the operating system upgrade and reboot the system. Verify that all services started and are available.
5. As user `arcsight`, run the upgrade:

```
cd <untar_directory>
```

```
./ArcSightESMSuite.bin -i console
```

Before the upgrade process begins, the upgrade program checks that all upgrade requirements are met. If you encounter an error at this point, correct the error and run the upgrade again.

If you receive a Java (Manager) heap size error message, press **Enter**. You will need to change the Manager heap size to at least 16 GB after the upgrade. For information about changing the heap size, see [Completing Pre-Upgrade Tasks](#).

The upgrade performs a pre-upgrade redundant-name check to ensure that your database does not contain duplicate resource names in the same group. If duplicate names exist, the upgrade program generates an error that causes the upgrade to halt. To resolve this error:

- a. Check the `/opt/arcsight/upgradelogs/runcheckdupnames.txt` file to determine which duplicate names are causing the conflict.
- b. Resolve duplicate names manually.
- c. Run the upgrade again.

For assistance, contact [Technical Support](#).

If the upgrade fails, check the `/opt/arcsight/upgradelogs/suite_upgrade.log` file to determine the point of failure. If your log file *does not* include the following line, correct the error that you find in the log file and run the upgrade again:

```
Pre-upgrade tasks completed successfully.
```

If the upgrade fails at any point after the pre-upgrade checks, contact [Technical Support](#) and send all files in the following directories:

```
/opt/arcsight/upgradelogs/
```

```
/opt/arcsight/logger/current/arcsight/logger/logs/
```



```
/opt/arcsight/var/logs/misc/upgrade/
```

6. Review the information that is provided about the estimated duration of the upgrade and confirm that you want to upgrade your existing ESM installation.

The upgrade program provides the estimated duration by upgrade phase and also provides a total estimated duration. The phases are the same as those that are logged in `/opt/arcsight/upgradelogs/suite_upgrade.log`. If you determine that this is not a convenient time based on the estimated duration, you have the opportunity to cancel the upgrade.

7. Review the information that is provided about overwriting customized content and choose whether to continue the upgrade.

If you have customized content that you need to back up, see [Backing Up Resources Before Upgrading](#).

8. Specify where to create the link for the installation.
9. Review the settings, select **Install**, and then press **Enter**.
10. After the upgrade is complete, as user `root`, run the following script to set up the ArcSight services:

```
/opt/arcsight/manager/bin/setup_services.sh
```

After you run the script to set up the ArcSight services, verify that the upgrade was successful and then complete the applicable post-upgrade tasks. For more information, see [Verifying Successful Upgrade](#) and [Completing Post-Upgrade Tasks](#).

After the upgrade completes, ESM starts a process in the background to build case histories into a database table. The case histories are used to display information in ArcSight Fusion. ESM continues to function normally while it builds the case histories. The time to complete building the case histories depends on the volume of cases in the system. To determine whether building of the case histories was successful, check `/opt/arcsight/var/logs/misc/casehistorybuilder.log`. While ESM is building the cases histories, do not shut down ESM. If you need to shut down the Manager before case history building is complete, after you restart the Manager, run `/opt/arcsight/manager/bin/arcsight buildcasehistory` to restart the process.

After you complete post-upgrade tasks, upgrade the ArcSight Console and Smart Connectors. For more information, see [Upgrading the ArcSight Console and Smart Connectors](#).

To upgrade software ESM in distributed correlation mode:

Note: If you are upgrading ESM in distributed correlation mode and the cluster is also part of an Active Passive High Availability environment, see the [High Availability Module User's Guide](#) for information about performing the upgrade.

1. On the persistor node, untar the ArcSightESMSuite-7.2.1.xxxx.0.tar file:


```
tar xvf ArcSightESMSuite-7.2.1.xxxx.0.tar
```
2. On the persistor node, as user root, remove services before running the upgrade:


```
cd <untar_directory>/Tools
./stop_services.sh
```
3. On each node *except* the persistor node, complete the following steps:
 - a. As user arcsight, untar the ArcSightESMSuite-7.2.1.xxxx.0.tar file:


```
tar xvf ArcSightESMSuite-7.2.1.xxxx.0.tar
```
 - b. As user root, remove services before running the upgrade:


```
cd <untar_directory>/Tools
./stop_services.sh
```
 - c. If necessary, upgrade the operating system to a supported version.
For more information, see the [ESM Support Matrix](#).
 - d. As user arcsight, run the upgrade:


```
cd <untar_directory>
./ArcSightESMSuite.bin -i console
```
 - e. After the upgrade is complete, as user root, run the following script on each cluster node to set up the ArcSight services:


```
/opt/arcsight/manager/bin/setup_services.sh
```
4. On the persistor node, complete the following steps:
 - a. If necessary, upgrade the operating system to a supported version.
For more information, see the [ESM Support Matrix](#).
 - b. As user arcsight, run the upgrade:


```
cd <untar_directory>
./ArcSightESMSuite.bin -i console
```
 - c. Review the information that is provided about the estimated duration of the upgrade and confirm that you want to upgrade your existing ESM installation.
The upgrade program provides the estimated duration by upgrade phase and also provides a total estimated duration. The phases are the same as those that are logged in /opt/arcsight/upgradelogs/suite_upgrade.log. If you determine that this is not a convenient time based on the estimated duration, you have the opportunity to cancel the upgrade.

Note: The estimated duration is provided only on the persistor node. It is not provided on non-persistor nodes.
 - d. Review the information that is provided about overwriting customized content and choose whether to continue the upgrade.

If you have customized content that you need to back up, see [Backing Up Resources Before Upgrading](#).

Note: The overwrite message is provided only on the persistor node. It is not provided on non-persistor nodes.

- e. After the upgrade is complete, as user root, run the following script on each cluster node to set up the ArcSight services:

```
/opt/arcsight/manager/bin/setup_services.sh
```

- f. As user arcsight, start all services:

```
/etc/init.d/arcsight_services start all
```

After you run the script to set up the ArcSight services, verify that the upgrade was successful and then complete the applicable post-upgrade tasks. For more information, see [Verifying Successful Upgrade](#) and [Completing Post-Upgrade Tasks](#).

After the upgrade completes, ESM starts a process in the background on the persistor node to build case histories into a database table. The case histories are used to display information in ArcSight Fusion. ESM continues to function normally while it builds the case histories. The time to complete building the case histories depends on the volume of cases in the system. To determine whether building of the case histories was successful, check `/opt/arcsight/var/logs/misc/casehistorybuilder.log`. While ESM is building the cases histories, do not shut down ESM. If you need to shut down the Manager before case history building is complete, after you restart the Manager, run `/opt/arcsight/manager/bin/arcsight buildcasehistory` to restart the process.

After you complete post-upgrade tasks, upgrade the ArcSight Console and Smart Connectors. For more information, see [Upgrading the ArcSight Console and Smart Connectors](#).

Upgrading ESM on an Appliance

This section describes how to upgrade ESM on an appliance.

Note: If you are upgrading ESM on an appliance that is part of a High Availability environment, see the [High Availability Module User's Guide](#) for information about performing the upgrade.

Upgrading the Operating System on a B7500 (G8) Appliance

ESM 7.2 Service Pack 1 supports B7500 (G8) appliances running on RHEL 6.10.

If you are on ESM 6.11 on a G8 appliance that is running RHEL 6.8, after you upgrade the appliance to ESM 7.0 Patch 1 and RHEL 6.9, you must upgrade the operating system to RHEL 6.10.

To upgrade from RHEL 6.9 to RHEL 6.10 on a B7500 (G8) appliance:

1. As user root, download the upgrade file:

```
esm-rhel610upgrade.tar.gz
```

Micro Focus provides a digital public key to enable you to verify that the signed software that you received is from Micro Focus and has not been manipulated by a third party. For more information and instructions, visit the [Signature Verification](#) page.

To initiate license procurement, after you download the .tar file, follow the instructions in the Electronic Delivery Receipt that you receive in e-mail.

2. From the directory where you downloaded the upgrade file, extract the file:

```
/bin/tar zxvf esm-rhel610upgrade.tar.gz
```

3. Change directory:

```
cd esm-rhel610upgrade
```

4. Run the following command to start the operating system upgrade and generate an upgrade log file:

```
(./osupgrade 2>&1) | tee /tmp/osupgrade.log
```

When the operating system upgrade completes, the system reboots and services restart. Before you continue with the upgrade to ESM 7.2 Service Pack 1, verify that all services are available.

5. Run the following command to verify the operating system version:

```
cat /etc/redhat-release
```

The result should be Red Hat Enterprise Linux Server release 6.10.

Upgrading a B7600 (G9) Appliance

ESM 7.2 Service Pack 1 supports B7600 (G9) appliances running on RHEL 7.7.

If you are on ESM 6.11 on a G9 appliance that is running RHEL 7.3, after you upgrade the appliance to ESM 7.0 Patch 1 and RHEL 7.4, you must upgrade the operating system first to RHEL 7.5 and then to RHEL 7.7.

To upgrade the appliance:

1. Log in as user arcsight.
2. You can perform the remaining steps directly on the appliance or remotely using ssh. To use ssh, open a shell window:

```
ssh root@<hostname>.<domain>
```
3. Change to the directory where you downloaded the upgrade files.
4. Untar the ArcSightESMSuite-7.2.1.xxxx.0.tar file:

```
tar xvf ArcSightESMSuite-7.2.1.xxxx.0.tar
```

5. As user `root`, remove services before running the upgrade:

```
cd <untar_directory>/Tools
./stop_services.sh
```

6. As user `arcsight`, run the upgrade:

```
cd <untar_directory>
./ArcSightESMSuite.bin -i console
```

Before the upgrade process begins, the upgrade program checks that all upgrade requirements are met. If you encounter an error at this point, correct the error and run the upgrade again.

The upgrade is done in silent mode and transfers configurations, upgrades the schema and content, and generates an upgrade report.

Before the upgrade process begins, the existing software components will be backed up to the following locations:

```
/opt/arcsight/manager.preUpgradeBackup
/opt/arcsight/logger/BLxxxx
```

Services are backed up to `services.preUpgradeBackup`. The suite is backed up to `suite.preUpgradeBackup`. System tables are exported to `/opt/arcsight/manager/tmp/arcsight_dump_system_tables.sql.<timestamp>`.

Do not delete the backup files before the upgrade is complete and you verify that it was successful. You might need the backup files to recover the system in case of a failed upgrade.

If you receive a Java (Manager) heap size error message, press **Enter**. You will need to change the Manager heap size to at least 16 GB after the upgrade. For information about changing the heap size, see [Completing Pre-Upgrade Tasks](#).

If the upgrade fails, check the `/opt/arcsight/upgradelogs/suite_upgrade.log` file to determine the point of failure. If your log file *does not* include the following line, correct the error that you find in the log file and run the upgrade again:

```
Pre-upgrade tasks completed successfully.
```

If the upgrade fails at any point after the pre-upgrade checks, contact [Technical Support](#) and send all files in `/opt/arcsight/upgradelogs/`.

7. Review the information that is provided about overwriting customized content and choose whether to continue the upgrade.

If you have customized content that you need to back up, see [Backing Up Resources Before Upgrading](#).

8. After the Manager upgrade completes, check the upgrade summary report in `/opt/arcsight/manager/upgrade/out/<timestamp>/summary.html`.
9. After the upgrade is complete, as user `root`, run the following script to set up the ArcSight services:

```
/opt/arcsight/manager/bin/setup_services.sh
```

After you run the script to set up the ArcSight services, verify that the upgrade was successful and then complete the applicable post-upgrade tasks. For more information, see [Verifying Successful Upgrade](#) and [Completing Post-Upgrade Tasks](#).

After the upgrade completes, ESM starts a process in the background to build case histories into a database table. The case histories are used to display information in ArcSight Fusion. ESM continues to function normally while it builds the case histories. The time to complete building the case histories depends on the volume of cases in the system. To determine whether building of the case histories was successful, check `/opt/arcsight/var/logs/misc/casehistorybuilder.log`. While ESM is building the cases histories, do not shut down ESM. If you need to shut down the Manager before case history building is complete, after you restart the Manager, run `/opt/arcsight/manager/bin/arcsight buildcasehistory` to restart the process.

After you complete post-upgrade tasks, upgrade the ArcSight Console and Smart Connectors. For more information, see [Upgrading the ArcSight Console and Smart Connectors](#).

Upgrading a Hierarchical or Other Multi-ESM Installation

This chapter describes the method for upgrading a multi-ESM deployment to ESM 7.2 Service Pack 1.

In a multi-ESM deployment, two or more ESMs are deployed in one of the following configurations:

- In a hierarchy: Data from one or more source ESMs is forwarded to a central, destination ESM.
- In a High Availability (failover) configuration: An alternate instance of an ESM is on standby, ready to take over if the active ESM is unavailable.
- In a peer-to-peer configuration: Data from a SmartConnector is sent to more than one independent ESM for redundancy.

The process of upgrading ESM in a multi-ESM deployment is similar to upgrading in a single-ESM deployment. However, you upgrade the destination ESMs first, then the components that connect to them, followed by the standby or source ESMs. Upgrade ArcSightForwarding Connectors only *after* you upgrade their corresponding source/destination ESMs. The Forwarding Connectors must be the version that shipped with ESM, or the latest version.

To upgrade a hierarchical deployment:

Note: Start with the top-tier ESM and repeat these steps for each level of the hierarchy.

1. Upgrade any SmartConnectors that are not running the latest version.
For more information, see the [SmartConnector User Guide](#).
2. Remove the ArcSight services on the current ESM.
3. Follow the instructions in [Running the Upgrade](#).
4. After the ESM upgrade is complete and you have completed the applicable post-upgrade tasks, upgrade the ArcSight Console.
For more information, see [Completing Post-Upgrade Tasks](#) and [Upgrading the ArcSight Console and Smart Connectors](#).
5. Upgrade the Forwarding Connector. For complete instructions, see the [ArcSight Forwarding Connector Configuration Guide](#).
If the Forwarding Connector is connected to more than one destination ESM, upgrade all of the destination ESMs before you upgrade the Forwarding Connector. The Forwarding Connector must be the version that shipped with ESM.

Caution: When upgrading the Forwarding Connector, if FIPS mode is enabled for the connector, you do not need to re-import the ArcSight Manager certificate.

Verifying Successful Upgrade

This section describes how to ensure that the upgrade was successful.

To verify successful upgrade:

1. Check the upgrade summary report and logs to determine whether the ArcSight Manager was successfully upgraded. The upgrade summary report (<ARCSIGHT_HOME>/upgrade/out/<timestamp>/summary.html) is only applicable to the Manager.

Note: You might see a message similar to Could not convert table(s) arc_ald_XXXXXX, arc_ald_YYYYYY without column details in arc_db_table_schema. in the /opt/arcsight/manager/upgrade/out/<timestamp>/logs/upgrade/server.upgrade.log file. This message indicates that some tables were not upgraded due to missing meta data. This condition should not affect existing functionality.

If the ArcSight Manager is in a prolonged initializing status, it might mean that you did not change the Manager's truststore password back to changeit before you ran

the upgrade. If so, run the following commands as user `arcsight` to import the `arcsight_services` certificate to the Manager's truststore:

```
/etc/init.d/arcsight_services stop manager
cd /opt/arcsight/manager/bin
./arcsight keytool -store managercerts -importcert -alias services_admin -
file /opt/arcsight/manager/config/service-certificate.cer -noprompt
/etc/init.d/arcsight_services start all
```

2. Verify that the `/opt/arcsight/upgradelogs/suite_upgrade.log` file includes an Upgrade completed successfully message.
3. Run the following command to verify the build versions:

```
/etc/init.d/arcsight_services version
```

The response should be similar to the following:

Build versions:

```
esm: 7.2.1.2648.0(BE2648)
storage: 7.2.1.2035.0(BL2035)
process management: 7.2.1-2438
installer: 7.2.1-2438
```

4. Run the following command to verify that all components are available:

```
/etc/init.d/arcsight_services status all
```

The response should be similar to the following:

```
aps service is available
execprocsvc service is available
logger_httpd service is available
logger_servers service is available
logger_web service is available
manager service is available
mysqld service is available
postgresql service is available
```

Reporting Upgrade Issues

If you encounter issues during the upgrade, ensure that the necessary items are available and contact [Technical Support](#). Be prepared to provide the following items:

- System tables located in `/opt/arcsight/manager/tmp/arcsight_dump_system_tables.sql.<timestamp>`
- Suite upgrade logs:

- /opt/arcsight/upgradelogs/suite_upgrade.log

This log provides an overview of the upgrade progress and is the first log that you should consult in the event that your upgrade fails.

- /home/arcsight/ArcSight_ESM_7.2.1.0_Suite_Install_<timestamp>.log

- **Logger upgrade logs:**

- /opt/arcsight/logger/current/arcsight/logger/logs/logger_init_driver.log
- /opt/arcsight/logger/current/arcsight/logger/logs/initmysqluser.log
- /opt/arcsight/logger/current/arcsight/logger/logs/postgresql_upgrade.out

- **ArcSight Manager upgrade logs:**

- /opt/arcsight/manager/upgrade/out/<timestamp>/logs/upgrade/server.upgrade.log
- /opt/arcsight/manager/upgrade/out/<timestamp>/logs/upgrade/server.upgrade.std.log

- **ArcSight services upgrade logs:**

- /opt/arcsight/services/logs/arcsight_services.log
- /opt/arcsight/services/logs/arcsight_services_async.log

- **Installation logs:**

- /home/arcsight/ArcSight_ESM_7.2.1.0_Suite_Install_<timestamp>.log
- /home/arcsight/ArcSight_Logger_7.2.1.0_Install_<timestamp>.log
- /home/arcsight/ArcSight_ESM_Manager_7.2.1.0_Install_<timestamp>.log

Chapter 3: Completing Post-Upgrade Tasks

After you have confirmed that the upgrade was successful, complete the applicable tasks in this section. For information about required tasks, see [Completing Required Post-Upgrade Tasks](#). For information about optional tasks, see [Completing Optional Post-Upgrade Tasks](#).

After you complete the applicable post-upgrade tasks, upgrade the ArcSight Console and Smart Connectors. For more information, see [Upgrading the ArcSight Console and Smart Connectors](#).

Completing Required Post-Upgrade Tasks

This section describes tasks that you must complete after you verify that the upgrade was successful.

Note: Depending on your configuration, some tasks might not be applicable.

To complete required post-upgrade tasks:

1. If you upgraded software ESM and did not install the time zone update package before you upgraded or did not install it when prompted during the upgrade, you must install it now.

ESM uses the time zone update package to automatically handle changes in time zone or changing between standard and daylight savings time.

For information about installing the time zone update package, see [Software ESM: Installing the Time Zone Package](#).

2. Correct invalid resources.

You checked for invalid resources before the upgrade. It is possible that during upgrade, the condition statement for a resource that you created or modified became invalid. For example, if the schema of an ESM-supplied active list changed and a resource that you created reads entries from this list, the condition statement in the created resource no longer matches the schema of the active list and the logic is invalid.

During the upgrade process, the resource validator identifies any resources that are rendered invalid. Review the upgrade summary report at `</opt/arcsight/manager/upgrade/out/<timestamp>/summary.html` to identify invalid resources and correct their conditions.

Caution: If you choose not to persist conflicts to the database and disable invalid resources, the ArcSight Manager might generate exceptions when the invalid resources try to evaluate live events.

For information about running the resource validator, see [Running the Resource Validator](#).

3. Delete unassigned .art files.

The upgrade might result in unassigned resources. For example, .art files are created as new file resources in ESM, and the upgrade assigns new version IDs to these resources. The original files are stored in the **Files** resource in the **Unassigned** folder.

Because they are duplicates, you can safely delete the unassigned .art files.

4. Restore or delete deprecated resources.

For more information, see [Restoring or Deleting Deprecated Resources](#).

5. Restore custom Velocity templates.

The upgrade adds a .previous file extension to preserve customized velocity templates and replaces the original file with an un-customized version. To restore your customized version, delete the new file and remove the .previous file extension from your customized version.

For example, if you customized the file Email.vm, you will have two files after the upgrade completes: Email.vm and Email.vm.previous. Your customizations are in Email.vm.previous, which is not being used. To restore your customized version, delete Email.vm and rename Email.vm.previous to Email.vm.

6. Update the Cases user interface.

For more information, see [Updating the Cases User Interface](#).

7. Restore and verify customized standard resources.

For more information, see [Restoring and Verifying Customized Standard Resources](#).

8. Remove deprecated Threat Response Manager (TRM) integration commands.

The TRM integration commands are deprecated and should not be used. Delete the following folders to remove the TRM integration commands from the **Integration Commands** menu:

- /All Integration Commands/Deprecated/ArcSight Administration/TRM
- /All Integration Targets/Deprecated/ArcSight Administration/TRM
- /All Integration Configurations/Deprecated/ArcSight Administration/TRM

9. To facilitate proper data collection, re-register any connectors that support IPv6 addresses.

10. Verify that the upgrade program successfully transferred your content to the upgraded structures.

For more information, see [Verifying Content Transfer](#).

11. If you previously linked assets to default system zones, the assets might have lost the zone information. Micro Focus does not recommend linking assets to default system zones. Create custom zones (including configuring the category) and link the assets to the new custom zones.

For information about creating customized zones, see the [ArcSight Console User's Guide](#).

12. If you are upgrading to ESM version 7.2 from either ESM 7.0 Patch 1 distributed mode or ESM 7.0 Patch 2 distributed mode, complete the following steps:
 - a. In ArcSight Command Center, open the Cluster View dashboard.
 - b. Under **Backpressure**, ensure that the **Acceptable Lag** setting is not less than 300 seconds.

After you complete the required upgrade tasks, continue to [Completing Optional Post-Upgrade Tasks](#). If the optional tasks do not apply to your configuration, continue to [Upgrading the ArcSight Console and Smart Connectors](#).

Restoring or Deleting Deprecated Resources

Some resources and resource groups have been deprecated, meaning they are no longer needed. Resources are deprecated for the following reasons:

- The resource was too product- or vendor- specific.
- The resource was inefficient, or presented marginal value (for example, a collection of 10 reports was really one report with nine small variations).
- New features accomplish the same goal more efficiently.

The upgrade program moved deprecated resources to a separate Deprecated group for that resource type. The resources retain the hierarchy from the previous ESM version. These resources remain active so that they will be present and operational if you rely on them.

Note: If you built resources that refer to a deprecated resource, or if you modified a deprecated resource to refer to a resource that has not been deprecated, some connections might break during the upgrade.

If you still need to use the deprecated resource, move the deprecated resource back to the active resource tree and change the conditions as needed.

If you choose to restore a deprecated resource, you are responsible for its maintenance. Verify whether new resources address the same goal more efficiently.

For example, if the upgrade program moved /All Rules/Arcsight System to /All Rules/Arcsight System/Deprecated and you plan to continue using the resource, move it to your own group after the upgrade is complete.

To generate a list of deprecated resources:

1. In the ArcSight Console, select **Edit > Find Resource**.
2. In the search field, enter the keyword **deprecated** and press **Enter**.

Updating the Cases User Interface

Complete this task before you upgrade the ArcSight Console.

If you *did not* customize the Cases user interface, at a minimum you must rename an XML file that the upgrade program provided to ensure that you receive updates pertaining to the user interface structure (for example, new fields).

If you customized the Cases user interface in a previous ESM version, you must manually restore the customized files so that you can continue using those customizations and also access new Cases editor fields.

To update the Cases user interface if you did not previously customize it:

1. In /opt/arcsight/manager/config/, rename caseui.xml to caseui.xml.old.
2. Locate caseui.xml.orig (the file that the upgrade program provided) and rename it to caseui.xml.
3. Stop the ArcSight Manager:

```
/etc/init.d/arcsight_services stop manager
```
4. Start the services to implement the upgraded Cases user interface structure and expose any new fields:

```
/etc/init.d/arcsight_services start all
```

The updates are propagated to both ArcSight Command Center and the ArcSight Console.

To update the Cases user interface if you previously customized it:

1. In /opt/arcsight/manager.preUpgradeBackup/i18n/common, locate the properties files that you customized (for example, label_strings_en.properties and resource_strings_en.properties, and other localized properties files).
The upgrade process installs the latest properties files in /opt/arcsight/manager/i18n/common.
2. Open one of the customized properties files (for example, /opt/arcsight/manager.preUpgradeBackup/i18n/common/label_strings_

<locale>.properties) and locate your customizations.

Tip: Search for the string `extendedcase` to locate your customized field labels.

3. Copy the customizations to the corresponding properties file that the upgrade program provided (located in `/opt/arcsight/manager/i18n/common/`).

Note: For English, if the `*_en.properties` file does not exist in `/opt/arcsight/manager.preUpgradeBackup/i18n/common`, copy the `*.properties` file. If it exists, copy `*_en.properties`. For other locales, copy the `*_<locale>.properties` file.

After you upgrade the ArcSight Console ([Upgrading the ArcSight Console and Smart Connectors](#)), copy the following customized files to the individual Console installations at `arcsight\console\i18n\common\`:

- `label_strings`
- `resource_strings`

4. In `/opt/arcsight/manager/config/`, rename `caseui.xml` to `caseui.xml.old`.
5. If you changed the user interface structure, in `/opt/arcsight/manager.preUpgradeBackup/config/`, open the customized copy of `caseui.xml` and locate your customizations.
6. Copy your customizations to `caseui.xml.orig` (in `/opt/arcsight/manager/config/`).
7. Rename `caseui.xml.orig` to `caseui.xml`.
8. If there is a customized case details mapping to audit events, copy `case.properties` from `/opt/arcsight/manager.preUpgradeBackup/config/audit` to `/opt/arcsight/manager/config/audit`.
9. Stop the ArcSight Manager:
`/etc/init.d/arcsight_services stop manager`
10. Start the services:
`/etc/init.d/arcsight_services start all`

Restoring and Verifying Customized Standard Resources

If you created a `.arb` file in the topic [Preparing Resources for Upgrade](#), import it and verify that its contents work as expected.

Updates to standard content that occurred during the upgrade might cause resources that you created to work in a way that you did not intend. For example, a rule might trigger too often or not at all if it uses a filter in which conditions were changed.

To verify that resources that you created work as expected:

1. Send events that you know will trigger the content using the Replay with Rules feature.
For more about this feature, see the [ArcSight Console User's Guide](#).
2. Check the Live or All Events active channel to verify that the correlation event was triggered. Ensure that the data monitors that you created return the expected output based on the test events that you sent.
3. Verify that notifications were sent to the recipients in your notification destinations.
4. Verify that active lists that you created to support your content gather the replay with rules data.
5. During the upgrade process, the resource validator identified resources that were rendered invalid (conditions that no longer work) during the upgrade. Identify invalid resources and correct their conditions as appropriate.

Verifying Content Transfer

After the upgrade is complete, verify that the upgrade program transferred your content to the upgraded structures.

Note: The upgrade program imports packages but does not install them, even if they are mandatory. You must manually install packages after the upgrade program imports them. Packages that you installed before the upgrade remain installed.

To verify content transfer:

1. For all resource types, check for resources in the **Unassigned** group in the resource tree. If resources are present, move them to the appropriate custom group.
Unassigned groups contain resources that you created and were previously located in the **System** group.

Note: Micro Focus recommends that you do not move these resources to standard content groups. Future upgrades will move the resources back to the **Unassigned** group.

2. Check for assets in the **Disabled** group.
The **Disabled** group in the assets resource tree queries the ArcSight Manager every two minutes for assets that have been disabled. If you find assets in the **Disabled** group, review the disabled assets to determine why they were disabled and make the appropriate corrections. For example, if an asset's IP address is outside the range of the upgraded zone, either expand the range of the zone or assign the asset to another zone.

For existing assets, if two assets in the same zone have the same host name or IP address, one of them becomes invalid after the upgrade. This might occur for assets that use the fully-qualified domain name (FQDN) of the asset as the host name. When comparing the two assets, only the host name is extracted from the FQDN.

For example, if two assets have FQDNs `myhost.mycompany.com` and `myhost.mycompany.us.com`, ESM only uses the value `myhost` to compare them. Since the host name is identical, these two assets are considered conflicting assets and one of them becomes invalid. To override this behavior and use the FQDN instead, set the following property in the `server.properties` file:

```
asset.lookup.hostname.resolve.without.domain=true
```

You can delete disabled assets if you no longer need them.

3. Verify that access control lists are correct and valid based on the organization of the standard content.

For example, only users with authority to work with system-level content such as ArcSight System and ArcSight Administration should have Administrator access.

4. Check for invalid zones:
 - a. Correct zones that you want to retain and delete zones that you do not want to retain.
 - b. Verify that assets that are assigned to zones that were moved or invalidated during the upgrade retain connections to appropriate zones.
 - c. If you customized existing standard zones, edit the new resource to restore the customizations. Do not import the old zone.

Completing Optional Post-Upgrade Tasks

This section describes optional post-upgrade tasks. Ensure that the upgrade was successful before you perform these tasks.

To complete optional post-upgrade tasks:

1. Archive backup files that the upgrade program created.

The upgrade program creates backup files for rollback purposes. These files might contain outdated JREs and other components that include vulnerabilities. Security scanners can detect these vulnerabilities. To avoid issues with security scanners, you can archive these backup files and restore them if necessary.

To archive the backup files, run the following script:

```
opt/arcsight/manager/bin/arcsight hide_obsolete_files
```

The archive is created in `/opt/arcsight`. You can relocate the archive, but you must move it back to `/opt/arcsight` in order to restore it.

If you need to revert to the previous version of ESM for any reason, you must restore the archive first. To restore the archive, run the following script:

```
opt/arcsight/manager/bin/arcsight hide_obsolete_files -u <archive name>
```

For example, `opt/arcsight/manager/bin/arcsight hide_obsolete_files -u BLXXXX`.

2. Convert from compact mode to distributed correlation mode.

For more information, see [Converting from Compact Mode to Distributed Correlation Mode](#).

3. Convert appliances to prefer IPv6.

For more information, see [Appliance: Converting to Prefer IPv6](#).

4. Install the following packages:

- ArcSight SocView
- ArcSight ClusterView
- Threat Intelligence Platform
- Security Threat Monitoring

For descriptions of these packages, see the [ESM Standard Content Guide](#).

ESM automatically installs content packages for new installations. However, when you upgrade, new packages are not automatically installed. You can install these packages from the ArcSight Console after the upgrade.

For information about installing these packages, see the [ArcSight Console User's Guide](#).

5. Install NetFlow SmartConnectors.

NetFlow events from the following SmartConnectors trigger NetFlow Monitoring content:

- ArcSight IP Flow SmartConnector
- ArcSight QoSient ARGUS SmartConnector

These SmartConnectors are not installed with ESM. To use the NetFlow Monitoring content, install and configure these SmartConnectors. For information about obtaining the SmartConnectors, [contact your sales representative](#).

6. Install ArcSight Fusion.

ArcSight Fusion enables you to visualize, identify, and analyze potential threats by incorporating intelligence from the multiple layers of security sources that might be installed in your security environment:

- Real-time event monitoring and correlation with data from ESM
- Analyzing end-user behavior with Intersect

To help you get started, Fusion provides a Dashboard with a set of out-of-the-box widgets and dashboards. Users can organize the widgets into personalized dashboards.

For information about deploying, configuring, and maintaining this product, see the [Release Notes](#) and the *Administrator Guide for ArcSight Fusion*, which is posted with the [documentation for ArcSight Fusion](#).

Note: This release allows you to connect to a single ESM instance.

7. Configure ArcSight Investigate access.

For more information, see [Configuring ArcSight Investigate Access](#).

8. Configure Transformation Hub access.

For more information, see the applicable topic:

- [Configuring Transformation Hub Access - Non-FIPS Mode](#)
- [Setting Up SSL Client-Side Authentication Between Transformation Hub and ESM - Non-FIPS Mode](#)
- [Configuring Transformation Hub Access - FIPS Mode \(Server Authentication Only\)](#)

9. Configure integration with ServiceNow® IT Service Management (ITSM).

For more information, see [Configuring Integration with ServiceNow® IT Service Management \(ITSM\)](#).

After you complete optional post-upgrade tasks, continue to [Upgrading the ArcSight Console and Smart Connectors](#).

Converting from Compact Mode to Distributed Correlation Mode

If you previously installed ESM in compact mode, you can convert the system to distributed correlation mode.

It is important to plan the cluster before you convert your system. For information about cluster planning, see the [ESM Installation Guide](#).

Before you start the conversion process, you must ensure that information repository instances will not run on the disk partition that contains `/opt/arcsight`. In a distributed correlation environment, running an information repository instance on the disk partition that contains `/opt/arcsight` leads to performance problems. To avoid these problems, you must create `/var/opt/arcsight` (as a directory or a symbolic link to a directory) on all of the cluster nodes before you upgrade ESM. If `/var/opt/arcsight` does not meet the requirements that are listed below, the upgrade program will generate an error and

will not continue. During the upgrade, the upgrade program moves repository data to the partition that contains `/var/opt/arcsight`.

The `/var/opt/arcsight` directory (or the directory that it points to) must meet the following requirements:

- `/var/opt/arcsight` must not be in the same partition that contains `/opt/arcsight`.
- The `arcsight` user must own the directory.
- The partition that contains `/var/opt/arcsight` must have at least 1 GB of free disk space.

Note: To convert from compact mode to distributed correlation mode, each server host name must resolve to an IP address for each cluster node. Otherwise, the conversion process will fail with an error message.

To convert your system from compact mode to distributed correlation mode:

1. Verify that all services are running:
`/etc/init.d/arcsight_services status`
2. Change to the `arcsight` user.
3. Stop the ArcSight Manager:
`/etc/init.d/arcsight_services stop manager`
4. Change directory to `/opt/arcsight/manager`.
5. Initialize distributed correlation mode:
`bin/arcsight initialize-distributed-mode`
6. Set up the information repository, using the option **Change the TCP Port Range for ESM Processes** to specify the port range:
`bin/arcsight reposetup`
For more information about `reposetup`, see the [ESM Administrator's Guide](#).
7. Run `managersetup`:
`bin/arcsight managersetup`
For more information about `managersetup`, see the [ESM Administrator's Guide](#).
Important: Do not start the ArcSight Manager after `managersetup` is complete.
8. Initialize certificate administration and create a password for certificate administration:
`bin/arcsight certadmin -init`
For information about password restrictions, see the [ESM Administrator's Guide](#).
9. Add the version information for this node:
`/etc/init.d/arcsight_services setLocalBuildVersions`

10. If you need a distributed cache instance on the persistor node, run the following command:

```
bin/arcsight dcachesetup
```

For more information about `dcachesetup`, see the [ESM Administrator's Guide](#).

11. Add correlators or aggregators as needed on the persistor node:

```
bin/arcsight correlationsetup
```

For more information about `correlationsetup`, see the [ESM Administrator's Guide](#).

The system is now in distributed correlation mode. For information about installing ESM on the remaining cluster nodes, see the [ESM Installation Guide](#).

To complete configuration and bring up the services:

Note: Run these commands on the persistor node, as user `arcsight`, from the `/opt/arcsight/manager` directory.

1. Set up passwordless SSH:

```
/etc/init.d/arcsight_services sshSetup
```

2. Review and approve all certificates:

```
bin/arcsight certadmin -list submitted
```

Review the output to verify that the certificates represent the nodes where the ArcSight Manager or correlation services were installed. To view the certificate details, use the `-v` option.

3. After you confirm that the certificate list is correct, run the following command:

```
bin/arcsight certadmin -approveall
```

4. Stop all services:

```
/etc/init.d/arcsight_services stop all
```

5. Start the repository service:

```
/etc/init.d/arcsight_services start repo
```

6. Set up message bus control and message bus data:

```
bin/arcsight mbussetup
```

For more information about `mbussetup`, see the [ESM Administrator's Guide](#).

7. If you need additional repository instances, run the following command:

```
bin/arcsight reposetup
```

For more information about `reposetup`, see the [ESM Administrator's Guide](#).

8. Start all services, which will bring up services related to distributed correlation mode:

```
/etc/init.d/arcsight_services start all
```

9. Verify that all services are running:

```
/etc/init.d/arcsight_services statusByNode
```

Appliance: Converting to Prefer IPv6

After the upgrade, you can convert your ESM appliance to a pure IPv6 network configuration and convert ESM to prefer using IPv6, or convert the appliance to a dual stack configuration.

Note: You will need to re-register any connectors that are registered on the appliance after you complete the conversion. The IPv4 IP address will change to a host name and the ArcSight Manager certificate will be regenerated.

To convert an appliance to use IPv6:

1. As user root or arcsight, stop all services:

```
/etc/init.d/arcsight_services stop all
```
2. As user root or arcsight, confirm that all services are stopped:

```
/etc/init.d/arcsight_services status all
```
3. As user root, run the network configuration script and select **IPv6** or **Dual Stack** to change the operating system:

```
/opt/arcsight/services/bin/scripts/nw_reconfig.py
```
4. Reboot the system.
5. As user root, edit the `/etc/hosts` file and comment out the line that contains an IPv4 address to a hostname mapping, if present.
6. As user root, stop the Manager service:

```
/etc/init.d/arcsight_services stop manager
```
7. As user arcsight, run managersetup again:

```
/opt/arcsight/manager/bin/arcsight managersetup
```
8. Change the preferred IP protocol to IPv6 and change the host name to the host name of the appliance's IPv6 address.
9. Regenerate the ArcSight Manager certificate.
10. As user root, start the ArcSight Manager:

```
/etc/init.d/arcsight_services start all
```

Configuring ArcSight Investigate Access

This section describes how to configure ESM to access ArcSight Investigate.

Note: ArcSight ESM 7.2 Service Pack 1 requires ArcSight Investigate 3.1. Previous versions of ArcSight ESM are compatible with ArcSight Investigate 3.0.

To configure ESM access to ArcSight Investigate:

1. As user `arcsight`, stop the ArcSight Manager services:
`/etc/init.d/arcsight_services stop manager`
2. As user `arcsight`, from the `/opt/arcsight/manager/bin` directory, start the `managersetup` wizard:
`./arcsight managersetup -i console`
Advance through the wizard until you reach the ArcSight Investigate screen.
3. Specify the search URL for the ArcSight Investigate deployment.
4. Advance through the wizard and complete the configuration.
For more information about `managersetup`, see the [ESM Administrator's Guide](#).
5. As user `arcsight`, restart the ArcSight Manager:
`/etc/init.d/arcsight_services start all`

Configuring Transformation Hub Access - Non-FIPS Mode

This section describes how to configure ESM to access Transformation Hub when FIPS mode is *not* enabled.

To configure ESM access to Transformation Hub in non-FIPS mode:

1. As user `arcsight`, stop the ArcSight Manager:
`/etc/init.d/arcsight_services stop manager`
2. As user `arcsight`, from the `/opt/arcsight/manager/bin` directory, run the following command to start the `managersetup` wizard:
`./arcsight managersetup -i console`
Advance through the wizard until you reach the Transformation Hub screen.
3. Provide the following information:
 - a. Specify the host name or IP address and port information for the nodes in Transformation Hub. Include the host and port information for all nodes and not just the master node. Use a comma-separated list (for example: `<host>:<port>,<host>:<port>`).

Note: You must specify the host name and *not* the IP address.

Transformation Hub can only accept IPv4 connections from ESM.

If the Kafka cluster is configured to use SASL/PLAIN authentication, ensure that you specify the port configured in the cluster for the SASL_SSL listener.

- b. Specify the topics in Transformation Hub from which you want to read. These topics determine the data source.

For more information, see the [Transformation Hub Administrator's Guide](#).

Note: You can specify up to 25 topics using a comma-separated list (for example: topic1,topic2).

- c. Import the Transformation Hub root certificate to ESM's client truststore.
Transformation Hub maintains its own certificate authority (CA) to issue certificates for individual nodes in the Transformation Hub cluster. ESM needs that CA certificate in its truststore so that it will trust connections to Transformation Hub. For information about obtaining the certificate, see the information about viewing and changing the certificate authority in the [Transformation Hub Deployment Guide](#). You might need to contact the Transformation Hub administrator to obtain the CA certificate if you do not have sufficient privileges to access the Transformation Hub cluster.

Copy the Transformation Hub root certificate from
`/opt/arcsight/kubernetes/scripts/cdf-updateRE.sh > /tmp/ca.crt` on the Transformation Hub server to a local folder on the ESM server. After you provide the path to the certificate, the wizard imports the Transformation Hub root certificate into ESM's client truststore.

- d. If the Kafka cluster is not configured to use SASL/PLAIN authentication, leave the authentication type as None. If the Kafka cluster is configured to use SASL/PLAIN authentication, select SASL/PLAIN as the authentication type.
- e. If you selected SASL/PLAIN as the client authentication type, specify the user name and password for authenticating to Kafka.

The wizard validates the connection to Transformation Hub. If there are any issues, you will receive an error or warning message. If the wizard does not generate error or warning messages and you are able to advance to the next screen, the connection is valid.

4. Advance through the wizard and complete the configuration.

For more information about managersetup, see the [ESM Administrator's Guide](#).

5. As user arcsight, restart the ArcSight Manager:

```
/etc/init.d/arcsight_services start all
```

6. To verify that the connection to Transformation Hub is working, look for the line Transformation Hub service is initialized in server.std.log.

Setting Up SSL Client-Side Authentication Between Transformation Hub and ESM - Non-FIPS Mode

Before setting up client-side authentication with Transformation Hub, you must import the Transformation Hub root certificate into the ESM truststore.

Transformation Hub maintains its own certificate authority (CA) to issue certificates for individual nodes in the Transformation Hub cluster. ESM needs that CA certificate in its truststore so that it will trust connections to Transformation Hub. For information about obtaining the certificate, see the information about viewing and changing the certificate authority in the [Transformation Hub Deployment Guide](#). You might need to contact the Transformation Hub administrator to obtain the CA certificate if you do not have sufficient privileges to access the Transformation Hub cluster.

To import the Transformation Hub root certificate into the ESM truststore:

Note: Before completing the steps below, verify whether the Transformation Hub root certificate has previously been imported into ESM. If it has, you do not need to re-import it.

1. On the Transformation Hub server, copy the certificate from `/opt/arcsight/kubernetes/scripts/cdf-updateRE.sh` > `/tmp/ca.crt` to a location on the ESM server.
2. Use the `keytool` command to import the root CA certificate into the ESM truststore:
`/opt/arcsight/manager/bin/arcsight keytool -store clientcerts -importcert -file <absolute path to certificate file> -alias <alias for the certificate>`

For example:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientcerts -alias alias1 -importcert -file /tmp/ca.crt
```

To enable client-side authentication between Transformation Hub and ESM:

1. Obtain your company's root CA certificate, an intermediate certificate, and key pair and place them in `/tmp` with the following names:
 - `/tmp/intermediate.cert.pem`
 - `/tmp/intermediate.key.pem`
 - `/tmp/ca.cert.pem`
2. Verify that Transformation Hub is functional and that client authentication is configured.

3. As user arcsight, stop the ArcSight Manager:

```
/etc/init.d/arcsight_services stop manager
```
4. If `/opt/arcsight/manager/config/client.properties` does not exist, create it using an editor of your choice.
5. Change the store password for the keystore, `keystore.client`, which has an empty password by default. This empty password interferes with the certificate import.
6. Run the following commands to update the empty password of the generated key `services-cn` in the keystore to be the same password as that of the keystore itself:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientkeys -storepasswd -storepass ""
```

When prompted, enter the same password that you entered for the store password:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientkeys -keypasswd -keypass "" -alias services-cn
```
7. Run the following command to update the password in `config/client.properties`:

```
/opt/arcsight/manager/bin/arcsight changepassword -f config/client.properties -p ssl.keystore.password
```
8. Generate the keypair and certificate signing request (`.csr`) file. When generating the keypair, enter the fully-qualified domain name of the ArcSight Manager host as the common name (CN) for the certificate.

Run the following commands:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientkeys -genkeypair -dname "cn=<your host's fully-qualified domain name>, ou=<your organization>, o=<your company>, c=<your country>" -keyalg rsa -keysize 2048 -alias ebkey -startdate -1d -validity 366
```

```
/opt/arcsight/manager/bin/arcsight keytool -certreq -store clientkeys -alias ebkey -file ebkey.csr
```

where `ebkey.csr` is the output file where the `.csr` is stored
9. Sign the `.csr` with the Transformation Hub root certificate. On the Transformation Hub server, the root certificate is located at `/opt/arcsight/kubernetes/ssl/intermediate.cert.pem` and the key is called `ca.key`.

Run the following command on either the Transformation Hub server or a different server with a functional `openssl` (as long as you have the `intermediate.cert.pem` and `intermediate.key.pem` available):

```
openssl x509 -req -CA ${INTERMEDIATE_CA_CRT} -CAkey ${INTERMEDIATE_CA_KEY} -in <full path to the esm csr> -out <full path and file name for storing the generated cert> -days 3650 -CAcreateserial -sha256
```

For example:

```
openssl x509 -req -CA /tmp/intermediate.cert.pem -CAkey
/tmp/intermediate.key.pem -in /tmp/ebkey.csr -out
/tmp/signedIntermediateEBkey.crt -days 3650 -CAcreateserial -sha256
```

You must specify all file locations with the full path.

10. Import the intermediate certificate from Transformation Hub into the ESM client truststore:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientcerts -alias
<alias for the certificate> -importcert -file <absolute path to
certificate file>
```

For example:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientcerts -alias
ebcaroot -importcert -file /tmp/intermediate.cert.pem
```

11. On the ESM server, run the following command to import the signed certificate (the -out parameter in the above openssl command):

```
/opt/arcsight/manager/bin/arcsight keytool -store clientkeys -alias ebkey
-importcert -file <path to signed cert> -trustcacerts
```

For example:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientkeys -alias ebkey
-importcert -file /tmp/signedIntermediateEBkey.crt -trustcacerts
```

12. To verify that the configuration is complete and that the connection to Transformation Hub is valid, run `managersetup` and ensure that there are no errors.
13. Start the ArcSight Manager:


```
/etc/init.d/arcsight_services start all
```

Configuring Transformation Hub Access - FIPS Mode (Server Authentication Only)

This section describes how to configure ESM to access Transformation Hub when FIPS mode is enabled. FIPS 140-2 is the only supported FIPS mode.

To configure ESM access to Transformation Hub in FIPS Mode:

1. As user `arcsight`, stop the ArcSight Manager:


```
/etc/init.d/arcsight_services stop manager
```
2. From the Transformation Hub server, copy the certificate from `/opt/arcsight/kubernetes/scripts/cdf-updateRE.sh` > `/tmp/ca.crt` to a location on the ESM server.

3. Use the `keytool` command to import the root CA certificate into the ESM client truststore:

```
/opt/arcsight/manager/bin/arcsight keytool -store clientcerts -importcert
-file <absolute path to certificate file> -alias <alias for the
certificate>
```

4. As user `arcsight`, run the following command from the `/opt/arcsight/manager/bin` directory to start the `managersetup` wizard:

```
./arcsight managersetup -i console
```

5. Provide the following information:

Note: You do not need to provide the path to the Transformation Hub root certificate, as it has already been imported.

- a. Specify the host name or IP address and port information for the nodes in Transformation Hub. Include the host and port information for all nodes and not just the master node. Use a comma-separated list (for example: `<host>:<port>,<host>:<port>`).

Note: You must specify the host name and *not* the IP address.

Transformation Hub can only accept IPv4 connections from ESM.

If the Kafka cluster is configured to use SASL/PLAIN authentication, ensure that you specify the port configured in the cluster for the SASL_SSL listener.

- b. Specify the topics in Transformation Hub from which you want to read. These topics determine the data source.

For more information, see the [Transformation Hub Administrator's Guide](#).

Note: You can specify up to 25 topics using a comma-separated list (for example: `topic1,topic2`).

- c. If the Kafka cluster is not configured to use SASL/PLAIN authentication, leave the authentication type as None. If the Kafka cluster is configured to use SASL/PLAIN authentication, select SASL/PLAIN as the authentication type.
- d. If you selected SASL/PLAIN as the client authentication type, specify the user name and password for authenticating to Kafka.

The wizard validates the connection to Transformation Hub. If there are any issues, you will receive an error or warning message. If the wizard does not generate error or warning messages and you are able to advance to the next screen, the connection is valid.

6. Advance through the wizard and complete the configuration.

For more information about `managersetup`, see the [ESM Administrator's Guide](#).

7. As user `arcsight`, restart the ArcSight Manager:

```
/etc/init.d/arcsight_services start all
```

8. To verify that the connection to Transformation Hub is working, look for the line
Transformation Hub service is initialized in server.std.log.

Configuring Integration with ServiceNow® IT Service Management (ITSM)

This section describes how to integrate with ServiceNow® IT Service Management (ITSM) after completing the upgrade.

To configure ESM to integrate with ServiceNow® ITSM:

1. As user arcsight, stop the ArcSight Manager services:

```
/etc/init.d/arcsight_services stop manager
```
2. As user arcsight, from the /opt/arcsight/manager/bin directory, run the following command to start the managersetup wizard:

```
./arcsight managersetup -i console
```

Advance through the wizard until you reach the ServiceNow® ITSM screen.
3. Specify the ServiceNow® URL and, optionally, the ServiceNow® proxy URL.
4. Advance through the wizard and complete the configuration.
For more information about managersetup, see the [ESM Administrator's Guide](#).
5. As user arcsight, restart the ArcSight Manager:

```
/etc/init.d/arcsight_services start all
```

Chapter 4: Upgrading the ArcSight Console and Smart Connectors

After you complete the ESM upgrade process and complete post-upgrade tasks, upgrade the ArcSight Console and SmartConnectors.

Upgrading the ArcSight Console

Before you upgrade the console, complete the applicable upgrade process in [Running the Upgrade](#) and the applicable post-upgrade tasks in [Completing Post-Upgrade Tasks](#). You must upgrade all ArcSight Console instances that connect to the ArcSight Manager that is running on the upgraded system.

Note: Starting with ESM 7.0 Patch 1, the Event Reconciliation and Session Reconciliation data monitors are deprecated. If you created any of these data monitors, they will not function after the upgrade. In the resource navigator, the resources will appear as invalid.

To upgrade the ArcSight Console:

1. Download the appropriate installation file for your platform from the [Licensing and Downloads site](#) (where xxxx in the file name represents the build number) and transfer it to the location where you plan to install the console:
 - ArcSight-7.2.1.xxxx.0-Console-Win.exe
 - ArcSight-7.2.1.xxxx.0-Console-Linux.bin
 - ArcSight-7.2.1.xxxx.0-Console-MacOSX.zip
2. Stop the ArcSight Console.
3. Run the appropriate installation file:
 - On Windows, double-click ArcSight-7.2.1.xxxx.0-Console-Win.exe.
 - On Macintosh, unzip ArcSight-7.2.1.xxxx.0-Console-MacOSX.zip and then double-click the installation program.

Note: The installation program does not import the certificate. After the upgrade is complete, you will be prompted to import the certificate when you connect to the ArcSight Manager. Click **OK**, and the console completes the import.

- On Linux, run the following command as a non-root user:

```
./ArcSight-7.2.1.xxxx.0-Console-Linux.bin
```

To install in console mode, run the following command from the shell prompt:

```
./ArcSight-7.2.1.xxxx.0-Console-Linux.bin -i console
```

4. Follow the prompts to complete the installation.

When the installation program prompts you to choose an installation folder, specify an <ARCSIGHT_HOME> path that is *not* in the same location as the existing ArcSight Console. Choosing a different location prevents the installation program from overwriting your existing configuration so that you can migrate settings from it later.

The installation program prompts you for a previous installation and provides the option to copy settings to the new console. These settings include the ArcSight Manager host name or IP address and port number and authentication information. Select to transfer these settings.

When the installation program prompts you to select an IP protocol, select the protocol that corresponds to your ESM server configuration.

When the installation program is complete, you must configure the console. For information about configuration tasks, see the [ESM Installation Guide](#).

If you previously customized any field labels in the Cases user interface, see [Updating the Cases User Interface](#) for instructions on what to do with the label properties files.

After you complete the upgrade and configure the console, verify the following:

- You can view the upgraded standard content.
- Customized Cases user interface labels display correctly.
- SmartConnectors are connected to the ArcSight Manager and the Manager is receiving events from them.

If event viewers do not appear initially, select the /All Active Channels/ArcSight System/Core/Live channel to view real-time events.

Upgrading ArcSight SmartConnectors

MicroFocus recommends that you upgrade all SmartConnectors to the latest release.

For an overview of the SmartConnector installation and configuration process, see the [SmartConnector User Guide](#). For complete installation instructions for a particular SmartConnector, see the configuration guide for that connector, available on the [ArcSight Connectors Documentation](#) page. The configuration guide provides specific device configuration information, installation parameters, and device event mappings to ESM fields.

ESM provides the ability to upgrade the SmartConnectors remotely using the .aup file. For detailed instructions about upgrading remotely, see the [SmartConnector User Guide](#).

Send Documentation Feedback

If you have comments about this document, you can [contact the documentation team](#) by email. If an email client is configured on this computer, click the link above and an email window opens with the following information in the subject line:

Feedback on Upgrade Guide (ESM 7.2 Service Pack 1)

Just add your feedback to the email and click send.

If no email client is available, copy the information above to a new message in a web mail client, and send your feedback to arcsight_doc@microfocus.com.

We appreciate your feedback!