

SmartConnector™ Configuration Guide for

ArcSight™ Logger Forwarding Connector for
HP Operations Manager i

November, 2011



SmartConnector™ Guide for ArcSight™ Logger Forwarding Connector for HP Operations Manager i

© Copyright 2011 Hewlett-Packard Development Company, L.P.

Confidential computer software. Valid license from HP required for possession, use or copying. Consistent with FAR 12.211 and 12.212, Commercial Computer Software, Computer Software Documentation, and Technical Data for Commercial Items are licensed to the U.S. Government under vendor's standard commercial license.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Follow this link to see a complete statement of copyrights and acknowledgements:

<http://www.arcsight.com/copyrightnotice>

The network information used in the examples in this document (including IP addresses and hostnames) is for illustration purposes only.

This document is confidential.

Revision History

Date	Product Version	Description
11/15/2011	5.1.7.6080.0	SNMP Interceptor policies for HP OMi are decoupled from the connector. Added support for JRE 1.6.0_26.
06/2011		First release of Logger Forwarding Connector for HP OMi documentation.

Release Notes template version: 2.1.0

ArcSight Customer Support

Phone	1-866-535-3285 (North America) +44 (0)870 141 7487 (EMEA)
E-mail	support@arcsight.com
Support Web Site	http://www.arcsight.com/supportportal
Customer Forum	https://forum.arcsight.com

Contents

- Configuration Guide for Logger Forwarding Connector for HP OMi 5**
 - Sending Events From Logger to HP OMi 5
 - Installing the Connector 6
 - Logger Forwarders 9
 - Creating a Forwarder to Forward Events 10
 - Creating an SNMP Interceptor Policy 10
 - Uploading Interceptor Template 11
 - Troubleshooting Tips 11
 - Duplicate Events 11
 - Dropped Events 11
 - Adjusting the Event Processing Rate 11

Configuration Guide for Logger Forwarding Connector for HP OMi

This guide provides information on installing and configuring the Logger Forwarding Connector for HP OMi. This software supports Logger versions **5.0** and **5.1**, and **OMi v9.01** and **v9.10**.



OMi users are strongly encouraged to apply the latest patch, OMi_00005 (build 09.01.210), to obtain critical fixes before running this integration.

[“Sending Events From Logger to HP OMi” on page 5](#)

[“Installing the Connector” on page 6](#)

[“Logger Forwarders” on page 9](#)

[“Creating an SNMP Interceptor Policy” on page 10](#)

[“Uploading Interceptor Template” on page 11](#)

[“Troubleshooting Tips” on page 11](#)

[“Adjusting the Event Processing Rate” on page 11](#)

ArcSight Logger is a log management solution that is optimized for extremely high event throughput, efficient long-term storage, and rapid data analysis. Logger receives and stores events; supports search, retrieval, and reporting; and can forward selected events. The ArcSight Logger Forwarding Connector allows you to send these event logs from Logger to the HP Operations Manager i (HP OMi).

HP Operations Manager i (HP OMi) enables the HP BSM Operations Management component in BSM. BSM Operations Management provides a complete monitoring solution, consolidating all IT infrastructure monitoring in a central event console, and relating the events to the IT services that depend on that infrastructure. See the *HP Business Service Management Operations Manager i Concepts Guide* for details on BSM.

HP BSM Integration Adapter is an integration solution that enables you to monitor event sources, and, if certain conditions apply, to forward the detected events as HP Business Service Management (BSM) events directly to BSM Operations Management. See the *Using HP BSM Integration Adapter Guide* for details on HP BSM Integration Adapter.

Sending Events From Logger to HP OMi

ArcSight Logger sends events to the Logger Forwarding Connector using CEF Syslog, then forwards the events to HP OMi through HP BSM Integration Adapter using SNMP. A Logger

forwarder must be created to send these events. For instructions on how to create a forwarder to send the events, see [“Creating a Forwarder to Forward Events” on page 10](#).

HP BSM Integration Adapter uses a SNMP interceptor policy to allow ArcSight events to be accepted within the HP OMi environment. For instructions on how to create an SNMP interceptor policy, see [“Creating an SNMP Interceptor Policy” on page 10](#).

Installing the Connector


Before you install the connector, make sure that the ArcSight products with which the connectors will communicate have already been installed correctly (the ArcSight Logger, and HP BSM Integration Adapter, for example) and you have assigned appropriate privileges. For data security, ArcSight recommends that you install the connector and HP BSM Integration Adapter on the same system.

- 1 Download the ArcSight executable for your operating system from the ArcSight Customer Support Site.
- 2 Start the ArcSight Installer by running the executable.

Follow the installation wizard through the following folder selection tasks and installation of the core connector software:

Introduction
Choose Install Folder
Choose Install Set
Choose Shortcut Folder
Pre-Installation Summary
Installing...

- 3 The following destination window is displayed; click **Next** to continue.



- 4 Fill in the parameter information required for connector configuration, then click **Next**.


The image shows a 'SmartConnector Configuration Wizard' window. The title bar says 'SmartConnector Configuration Wizard'. The main area has a red sidebar with the word 'Configure' and the ArcSight logo. The main content area says 'Please complete the following information for the omi transport.' and lists the following parameters in a table-like format:

Host	127.0.0.1
Port	162
Version	SNMP_VERSION_2
Read Community(v2)	public
Write Community(v2)	public
Authentication Username(v3)	
Authentication Password(v3)	
Security Level(v3)	AuthNoPriv
Authentication Scheme(v3)	MD5
Privacy Password(v3)	
Context Engine Id(v3)	


At the bottom, there are three buttons: 'Cancel', '< Previous', and 'Next >'.

Parameter	Description
Host	Enter the Host name or IP address of the HP BSM Integration Adapter.
Port	Enter the port to be used by the BSM Integration Adapter monitoring for SNMP traps from the ArcSight Logger.
Version	Accept the default value of SNMP_VERSION_2 . SNMP_VERSION_3 is not available at this time.
Read Community(v2)	Enter the SNMP Read Community name.
Write Community(v2)	Enter the SNMP Write Community name.
Authentication Username(v3)	For use with SNMP v3; not available at this time.
	Authentication Password(v3)
	Security Level(v3)
	Authentication Scheme(v3)
	Privacy Password(v3)
	Context Engine Id(v3)
	Context name(v3)

- 5 Click **Logger to OMi**, then click **Next**.




- 6 Enter the Logger information, then click **Next**.



Parameter	Description
Network Port	514 or another port that matches the Receiver
IP Address	IP or host name of the Logger
Protocol	UDP or Raw TCP Note: Whichever protocol you choose, it must match that of the forwarder type chosen during Logger Forwarder configuration.

- 7 Enter a name for the connector and provide other information identifying the connector's use in your environment. Click **Next**.



- 8 Read the installation summary and click **Next**. If the summary is incorrect, click **Previous** to make changes.
- 9 When the connector completes its configuration, click **Next**. The Wizard now prompts you to choose whether you want to run the connector as a process or as a service.

If you choose to run the connector as a service, the Wizard prompts you to define service parameters for the connector.
- 10 After making your selections, click **Next**. The Wizard displays a dialog confirming the connector's setup and service configuration.
- 11 Click **Finish**.
- 12 Click **Done**.

Logger Forwarders

Logger **forwarders** allow you to send all events, or events which match a particular filter, to another destination, in this instance, to HP OMi. However, the ability to define a different filter for each forwarder allows Logger to divide traffic among several destinations or limit the events sent to a single destination. For example, because Logger can handle higher event rates, it might be used to forward events to another HP OMi and/or an ArcSight ESM Manager. Forwarder query filters make it possible to split the flow between the different devices, using one forwarder for each.



You cannot configure a Logger Forwarder to send data to a destination on the same system.

Note

Logger forwarding uses several forwarder types, but the Logger Forwarding Connector operates with UDP and TCP forwarder types only.

- **UDP Forwarders** forward events as User Datagram Protocol messages, such as Syslog format datagrams.
- **TCP Forwarders** forward events as Transmission Control Protocol messages.

Creating a Forwarder to Forward Events

In order to successfully forward events from Logger to HP OMi, a forwarder must be created. To do so, complete the following steps within the ArcSight Logger web application.

- 1 Click **Configuration** from the top-level menu bar.
- 2 Click **Event Input/Output** in the left panel.
- 3 Click the **Forwarder** tab, then click **Add**. The **Add Forwarder** page appears.
- 4 Enter a name for the new forwarder and choose either “UDP Forwarder” or “TCP Forwarder”.




Whichever forwarder type you choose, it must match that of the SmartConnector protocol and port chosen during installation.

- 5 Click **Next**.
- 6 The **Edit Forwarder** page appears.
- 7 Within the **Query** field, create a query to filter the events sent to HP OMi, or leave the default, **NONE**, to send all events.
- 8 Continue to fill in the remaining parameters, ensuring that the **IP/Host** field contains the correct Logger Forwarding Connector IP address and that the **Port** number matches that of the connector.
- 9 Click **Save**. The following page appears.

Add

Name	Type	IP/Host	Port	Query			
OMTCPFWD	TCP Forwarder	10.0.202.116	515	NONE			

- 10 New forwarders are initially disabled, so click the disabled icon () to enable the new forwarder.



The forwarder is now enabled.

For more detailed information on Logger forwarders, see the *ArcSight Logger Administrator's Guide*.



Wait a few minutes after enabling a forwarder before disabling it. Likewise, wait before enabling a forwarder that has just been disabled. Background tasks initiated by enabling or disabling a forwarder can produce unexpected results if they are interrupted.

Creating an SNMP Interceptor Policy

HP BSM Integration Adapter SNMP interceptor policies monitor SNMP events, and respond when a character pattern that you choose is found in an SNMP trap. ArcSight provides a template SNMP interceptor policy for use in creating your own customized SNMP interceptor policy. This template policy should be customized and enhanced to satisfy

different needs and requirements with HP BSM Integration Adapter's powerful policy edit features.

Uploading Interceptor Template

Download the latest policy files from the ArcSight download site where you obtained the connector.

Refer to the *ArcSight™ HP OM and HP OMi SNMP Interceptor Policy Readme* for details on uploading the template.

Troubleshooting Tips

Duplicate Events

If there appear to be duplicate events forwarded to the HP OMi console:

- 1 Check and adjust deduplication options as needed.
- 2 If, after modifying deduplication options, there still appear to be duplicate events, check the Custom Message Attributes (event details and data), and apply rules to differentiate the events.

Refer to the *HP Business Service Management Using Operations Management Guide* and help for details.

Dropped Events

If you notice that some events forwarded from ArcSight ESM/Logger are dropped, verify whether the Agent Severity is set correctly in those events. The default SNMP interceptor policy provided by ArcSight in the connector distribution has rules to pick up and forward SNMP Traps from ArcSight ESM/Logger based on the Agent Severity. Events that do not have Agent Severity set are dropped and not forwarded by the SNMP interceptor policy. If the dropped events are correlated events from ESM, make sure that the rules on ESM are set for the correct Agent Severity in the correlated events they generate. If the dropped events are normalized events from devices, then verify that the originating connector that has normalized the event has mapped the Agent Severity correctly from the Device Severity. If the originating connector (that is not setting the Agent Severity) is a FlexConnector, review the mappings and map all of the device severities to one of these Agent Severity values: Low, Medium, High, or Very-High. If the connector is a supported connector, contact customer support.

Adjusting the Event Processing Rate

The default event processing rate for forwarding events from Logger to HP OMi is **10 eps**. If this rate proves excessive for your system, HP OMi might drop some incoming events. If events are being dropped, decrease the event rate until you find that all events have arrived.

If this occurs, you can adjust the rate at which events are forwarded to HP OMi. To do so, you will need to change the event processing rate within your XML properties file.

To adjust the event processing rate:

- 1 Stop the currently running SmartConnector from operating.
- 2 From a Windows command line, access your XML properties file using the command

```
cd %ARCSIGHT_HOME%/current/user/agent
```

- 3 Use WordPad or any XML Editor to open the .xml file for your HP OMi destination, similar to the example below:

```
0Ajv5S8BABCAeabNXP5Rw==.xml
```

- 4 From within the .xml file, search for the following:

```
ProcessingSettings.ThrottleRate="10"
```

This value controls the current processing event rate, and has a default value of 10 eps.

- 5 Change this value to the desired rate of events per second. For example, to lower the rate of events to 5 eps, change the value after the string to 5:

```
ProcessingSettings.ThrottleRate="5"
```



If there are multiple destinations, repeat the steps above to change the rate for each destination, as required.

- 6 Save the .xml file and exit the XML editor.
- 7 Restart the SmartConnector.